Aakhus S, 260, 640
Aakvaag A, 255
Aarsland T, 255
Aasa M, 983
Abe H, 227
Abecia A, 763
Abergel E, 620
Abinader E, 1366
Abinader EG, 746
Acar J, 932
Adams D, 854
Adams HP Jr, 707
Adelman B, 1359
Adjei-Poku M, 995
Agatston AS, 247
Agmon J, 1366
Aguirre FV, 904
Ahmed WH, 544
Ahn C, 846
Airaksinen KEJ, 1026
Aizawa Y, 916
Akagi T, 586
Akhtar M, 911
Alam M, 1074
Alboni P, 1142
Alfonso F, 325
Aliot E, 1238
Allen A, 373
Allen JW, 1456
Almendral JM, 1389
Altland E, 1199
Altmann DB, 351
Alturk N, 995
Amanullah AM, 144, 983
Ameli S, 1352
Ammirati F, 922
Amtorp O, 418
Anand IS, 615
Ancukiewicz M, 1220
Anderson JL, 373
Anderson RH, 1457
Andresen D, 8
Andrews C, 183
Andries E, 349
Angelini P, 102, 828
Angelsen BAJ, 260
Anguita M, 413
Antoine M, 331
Antonioli GE, 1142
Antoniucci D, 1383
Aoyagi T, 268
Arakawa K, 218
Araujo LI, 134
Arbustini E, 608
Ardaillou R, 932
Arenal A, 1389
Arigliano PL, 397
Arizón JM, 413
Armstrong PW, 379
Aronow WS, 347, 846
Arora C, 1352
Aschoff AM, 288
Asinger RW, 840
Asmar RG, 794
Atlan H, 235
Ayalon D, 240
Ayres RW, 707, 1330

Bach RG, 904
Bacharach SL, 199
Baerman J, 787
Baigrie RS, 379
Bailey AS, 66
Bailey KR, 634
Balcon R, 14
Bamberg W, 1319
Bañuelos C, 325
Bär FW, 445
Bär FWHM, 999
Barber MJ, 652
Baroldi G, 580
Baroni M, 741
Barron MM, 365
Barry J, 889
Barzilai B, 1087
Bashir Y, 1156, 1211, 1314
Bashore TM, 1220
Bastow MD, 742
Battisti P, 58
Bauerlein EJ, 100
Bauman JL, 567
Beauchamp GD, 1348
Beaufort-Krol GCM, 1213
Beauregard L-AM, 1395
Becker LC, 1010
Behar S, 831, 883, 1366
Behounek BD, 1031
Belin TR, 861
Bell C, 904
Bellina RC, 538
Ben-Ari E, 240
BenEliyahu D, 894
Benetos A, 794
Benjamin EJ, 662, 1183
Benson DW, 787
Benson LN, 586
Bent SE, 78
Berger RMF, 976
Berk SI, 393
Berkenboom G, 331
Berlardinelli L, 483
Berman DS, 273, 728
Bernardi MM, 1121
Berning J, 1004
Berry VA, 652
Bertolet BD, 483
Bertrand M, 165
Bevegård S, 983
Bezante G, 1411
Biagini A, 741
Biffi A, 922
Bigger JT Jr, 95
Bignotti M, 1301
Biller J, 707
Bink-Boelkens MTE, 1213
Birnbaum Y, 823
Biscione F, 525
Bittar N, 1249
Bittl JA, 544
Bjoernstad K, 260, 640
Black ER, 602
Blackshear JL, 840
Blanc J-J, 469
Blanksma PK, 560

Bliss RE, 979
Blom-Muilwijk CM, 699
Blondeau M, 854
Blumberg S, 183
Blumenthal JA, 551
Bobbio M, 763
Bodenheimer MM, 393
Boissonnat P, 486
Boltwood MD, 1361
Bolz K-D, 640
Bom VJJ, 462
Bonarjee VVS, 1004
Bonavita GJ, 843
Bonnier H, 165
Bonow BO, 735
Bonow RO, 199
Bordet J-C, 486
Borghi A, 343
Bortolotti U, 231
Bos E, 1431
Bosner MS, 95
Bottoni N, 1152
Boughaleb D, 469
Boujon B, 854
Bozer AY, 493
Braat S, 1015
Braga SS, 384
Branzi A, 450
Braunwald E, 544
Bray L, 301
Brignole M, 1152
Brinker JA, 828
Brodman R, 1263
Broeder CE, 1188
Brown CL, 1107
Brown DL, 1207
Brown KA, 1199
Brugada J, 349
Brugada P, 349
Brüggemann J, 462
Brüggemann T, 8
Bruntz JF, 1238
Buchanan N, 767
Bueno G, 413
Bugiardini R, 343
Buja G, 973
Burchell HB, 336
Burgess JH, 475
Burke MB, 1361
Burns TL, 707, 1330
Burwash IG, 1331
Bussmann W-D, 1319
Byers S, 715
Bynens B, 359

Cacciapuoti F, 1038
Caidahl K, 1004
Cali G, 507
Califf RM, 21, 1121
Calkins H, 911, 1406
Camerini F, 580
Camm AJ, 821, 1156, 1314
Camp A, 1448
Campana C, 608
Campeau L, 1215
Camuñas JL, 857
Candiotti N, 450

Cannon RO III, 194, 434
Cappato R, 1142
Cardinale M, 922
Carlini S, 397
Carstensen S, 1004
Carter JE Jr, 1114
Carù B, 384
Casareto R, 1249
Caselli G, 922, 1048
Caspi A, 831
Castellanos A, 1457
Castello R, 1448
Castro L, 1352
Cave V, 747
Cecchi F, 363
Celiker A, 349
Cervi V, 450
Chahine RA, 100
Chaitman BR, 715
Chambers J, 877
Chan P, 241
Chandrashekhar Y, 615
Chang C-I, 596
Chang S-H, 243
Chaouche-Teyara K, 794
Chatellier G, 620
Chen J-H, 1324
Chen J-J, 677, 1310
Chen X, 47
Chen Y-C, 853
Chen Y-DI, 458
Cheng TO, 1457
Chenu PC, 1209
Cheriex E, 964, 1137
Cheriex EC, 1043
Chernilas J, 894
Chiariello L, 1167
Chien S-C, 596
Chien WW, 1268
Chikamori T, 211
Child JS, 658, 672
Chiu I-S, 85
Chiu RC-J, 475
Choue CW, 1263
Chow LT-C, 1321
Chow W-H, 1321
Choy A-MJ, 1083
Chrysant SG, 1249
Chu S-H, 677
Chua S, 853
Chua T, 728
Ciamei A, 58
Ciavolella M, 1167
Cieslinski G, 1319
Clair WK, 108
Cload P, 1015
Cobanoglu A, 958
Coccio E, 1359
Cohen A, 620
Cohen GI, 66
Cohen JL, 1226
Cohen MB, 770
Cohen TJ, 1268
Cohn P, 894
Cohn PF, 629
Coleman ER, 551
Collins TJ, 805

Colliver JA, 1010
Colombo E, 384
Compostella L, 489
Concha M, 413
Connelly PW, 402
Connolly DL, 742
Consoli A, 830
Coppola A, 58
Corsini G, 525
Cosin J, 1243
Costeas XF, 1291
Counihan PJ, 211
Courtalon T, 1238
Cox TA, 1456
Crea F, 134, 1167
Crijns HJGM, 560, 647
Cromme-Dijkhuis AH, 976
Crouse LJ, 1348
Crowe J, 154
Cucchini F, 489
Cuccurullo F, 830
Cuello C, 843
Cugini P, 58
Cullen-Dean G, 402
Cunningham D, 1203
Cunnion RE, 233
Cuocolo A, 1376

D'Agostino RB, 1183
Dalal JN, 1197
Dalla Volta S, 231
Daly PA, 379
Danchin N, 14
Daniels K, 1281
Danisa K, 1249
D'Armini A, 608
Dávila-Román VG, 1087
De Bacquer D, 349
De Bruyne B, 1101
de Chillou C, 964, 1137, 1274
De Domenico R, 489
de Feyter PJ, 14
De Geest H, 359
de Gioia S, 830
de Graeff PA, 462
De Jaegere P, 165
de Langen CDJ, 647
de Lorgeril M, 486
De Luca A, 58
de Luna AB, 1243
De Maria R, 580
de Swart H, 445
De Vita C, 580
de Zwaan C, 999
Deal B, 787
Dechavanne M, 486
Deckers J, 1341
Deckers JW, 1431
DeLacey WA, 652
Delcán JL, 1389
Delgado P, 861
DeLuca A, 1281
Demichelis B, 763
Demiricin M, 493
den Dulk K, 1137
Deneault LG, 721

Dequenne P, 331
Dervan J, 894
Desgrez A, 854
Deshmukh P, 1281
Deutschmann C, 8
Dewhurst TA, 877
Dhawale P, 1232
Di Palma L, 58
Di Sacco S, 538
Diaspro R, 1038
Diaz C, 567
Dickstein K, 255
Diegoli M, 608
Dijkman L, 445
Dilsizian V, 199
DiMarco JP, 652, 911
DiSciascio G, 828
Distante A, 465
Dittrich HC, 507, 840
Dobrindt R, 927
Dobson AJ, 759
Doğan R, 493
Doi Y, 211
Domanski MJ, 233, 455
Donnerstein RL, 238
Donohue TJ, 904
Douglas JS Jr, 514, 1107
Dove JT, 1010
Dowger BA, 828
Drory Y, 240
Droste C, 121
Du Plessis J, 850
Duff HJ, 753
Duilio C, 1376
Dujovne CA, 1131
Dunning AJ, 682
Durbin S, 486
Dureau G, 486
Düren DR, 682
Dussaule J-C, 932
Dutton J, 1286
Duval RD, 1197
Duvvuri S, 1226
Dyer A, 838

Eber B, 861
Edner M, 1004
Eff J, 1131
Egan BM, 53
Ehlert F, 787
Eichelberger JP, 602
Eigler N, 273
Eisenberg MS, 877
Eisenberg S, 1286
Ellis SG, 31, 1121
Embrey RP, 1093
Emmott SN, 149
Epstein AE, 911
Epstein LM, 1268
Erikssen G, 629
Erikssen J, 629
Essop MR, 73, 423, 481, 848, 850
Estes NAM, 911
Ethevenot G, 1238
Evans JC, 662, 1183

Faanes A, 260
Faber KG, 647
Falcone C, 865
Faletra E, 922
Fantasia G, 889
Fasani R, 608
Fasoli G, 231
Faulhaber H-D, 666
Fazzini PF, 1383
Feeny D, 154
Fellows KE, 1435
Fernandez-Ortiz A, 325
Fernando F, 922
Fernicola DJ, 233, 314
Ferraresi R, 1249
Ferrario M, 865
Ferraro L, 1131
Ferrick KJ, 1263
Ferro G, 1376
Fetiveau R, 865
Fisher JD, 1263, 1453
Fisman EZ, 240
Flachskampf FA, 555
Fleiss JL, 95
Flores AR, 1179
Fogel MA, 1435
Fogoros RN, 911
Foley DP, 14, 1341
Follansbee WP, 810
Fonarow G, 62
Fonarow GC, 658, 672
Forman DE, 1077
Fornasier-Bongo M, 995
Fortin DF, 21
Fournier C, 854
Fox KM, 1203
Francart C, 1095
Freant LJ, 952
Free MM, 739
Freedman SB, 532
Freedom RM, 586
Frey B, 349
Frid DJ, 21, 551
Friedman J, 728
Friedman Y, 1366
Frishman WH, 995
Froelicher V, 767
Fromm BS, 911
Fu M, 853
Fuh MM-T, 458
Fujise K, 862
Fuller DL, 662, 1183
Furia S, 995
Furlong W, 154
Furman S, 183, 1263, 1453
Fusani L, 990
Fye WB, 1055

Gadasalli S, 115
Gaeckle TC, 115
Gaggioli G, 1152
Gal RA, 115
Galassi AR, 134
Galderisi M, 662, 1183
Gallik DM, 1
Gallino RA, 351
Galzerano D, 1038
Gane JN, 211
Gardner LH, 21
Garutti RJ, 1249
Garvey AJ, 979
Gasior TA, 721
Gaspardone A, 1167
Gaudio G, 1301
Gavazzi A, 580, 608
Geist M, 1206
Genet L, 469
Gent M, 379
Gentile S, 1038
George AK, 1226
Gerardy A-C, 1043
Germano G, 273, 728
Gersh BJ, 634
Geschwind HJ, 372
Geskes G, 1043
Gheno G, 489
Giacomini J, 1361
Gianfranchi L, 1152
Giannitti C, 1167
Gilfix BM, 1215
Gillis AM, 753, 1146
Gilon D, 1020, 1206
Gilpin E, 507
Giménez D, 413
Gioffrè PA, 1167
Giorgetti A, 538, 990
Giorgi LV, 826
Glamann DB, 711
Glasser SP, 861, 1249
Godart F, 1095
Goggi C, 608
Goicolea J, 325
Goldberg SJ, 238
Goldberger AL, 1077
Goldberger J, 787, 838
Goldbourt U, 831, 883, 1366
Goldenberg IF, 223
Goldfarb S, 770
Goldman M, 331
Goldman ME, 840
Goldstein RJ, 1131
Goldstein S, 1074
Gomes JA, 857, 1281
Gomez CR, 1448
Gomez MA, 373
Gorcsan J III, 721, 810
Gorgels APM, 999
Gorini G, 1301
Gornick ME, 26
Gossage JR, 863
Gössinger H, 1334
Gotsman MS, 235, 1020, 1206
Gotto AM Jr, 1131
Gourassas J, 495
Govendrageloo K, 850
Granato JE, 828
Grandi AM, 1301
Grandis DJ, 1179
Grasso M, 608
Green RM, 602
Greene TO, 908
Greenlee MW, 121
Griffin JC, 1268
Griffith KK, 1400
Grill HP, 828
Grimon G, 854
Grogin H, 1361
Gronda M, 525
Gross J, 1263
Gross JN, 183
Grossman E, 574
Grunald A, 393
Guindo J, 1243
Gürsoy S, 349
Guyatt G, 154

Hadjimiltiades S, 495
Haines DE, 652
Hall WD, 1131
Hall WJ, 1411
Halle AA III, 104
Hallstrom AP, 877
Halperin B, 1400
Halperin BD, 113
Halperin JL, 840
Halpern EF, 770
Hamilton MA, 672
Hamm DP, 1010
Hanet C, 14
Hanrath P, 555
Hanson MW, 551
Haq A, 379
Harpaz D, 1411
Harris WS, 1131
Hartzler GO, 826
Hasin Y, 1206
Hata JS, 707
Hatle L, 260, 640
Hattler BG, 721
Hauger SO, 260
Hausdorf G, 354
Hausdorff JM, 1077
Hayakawa H, 36
Hayano J, 551
Haywood GA, 1156
Heald S, 1211
Hecht G, 363
Hegele RA, 171, 402
Heinle SK, 1220
Heinz G, 1334
Held SJ, 1131
Heller RF, 759
Henning H, 507
Heo J, 747, 1201
Heo M, 1411
Herd A, 1131
Hermans WRM, 14
Hernandez R, 325
Herregods M-C, 359
Herz I, 823
Hess J, 976, 1431
Hetzer R, 484
Heyndrickx GR, 14, 1101, 1341
Hicks GL, 1411
Hikita H, 140
Hill JA, 483, 770
Hillis LD, 711
Hiro J, 1425
Hirose K, 1126
Hirsowitz G, 889
Hod H, 831
Hodgson JM, 1232
Hodis HN, 1098
Hoeg JM, 1071
Hoffman EA, 1435
Hoffmann R, 555
Hofman Z, 1188
Hofstra L, 445
Holmes DR Jr, 634
Homuth V, 666
Hood WB Jr, 968
Hopkins PN, 171
Hopkins WE, 90, 1087
Hopson JR, 288
Hori M, 227
How S-W, 677
Hozumi T, 356
Hradec J, 205
Huang SKS, 843, 908
Huikuri HV, 1026, 1371
Hummel JD, 1323, 1406
Hung C-R, 85, 677
Hung J-S, 853
Hunninghake DB, 1131
Hunsberger SA, 194
Hunt SC, 171
Husbands K, 66
Hwang J-J, 677, 1310

Iavernaro A, 489
Ibrahim R, 1249
Ibuki C, 36
Ichikawa H, 441
Ideishi M, 218
Ikäheimo MJ, 1026
Ikeda M, 218
Inada M, 162
Inagaki Y, 441
Iñiguez A, 325
Ioli A, 1085
Iovino GL, 1376
Ip J, 1281
Ip JH, 857
Isaaz K, 1238
Iskandrian AS, 747, 1201
Isner JM, 371
Ito T, 227
Itti R, 1015
Ivy D, 1327
Iwasaka T, 162

Jacobs LE, 1085
Jacobsen TN, 418
Jain A, 805
Jain SP, 805
Jamota T, 205
Janoušek J, 294
Janowitz WR, 247
Jarboe LA, 1163
Jarrar M, 1095
Jeng C-Y, 458
Jereczek M, 8
Jesek JK, 1188
Jiang W, 551
Jimenez AH, 47
Johnson BF, 1131
Johnson WL, 826
Jones N, 154
Jones T, 134
Jorgensen L, 629
Jougasaki M, 128

Kadel C, 1319
Kadish A, 787, 838
Kahn JK, 460, 826
Kalbfleisch SJ, 1323, 1406
Kall J, 787
Kallfelz H-C, 294
Kalra GS, 615
Kaltenbach M, 1319
Kamada T, 227
Kaplan G, 247
Kaplinsky E, 831, 883, 1366

Karagounis LA, 373
Karoulas T, 495
Karson TH, 1305
Kaski JC, 134
Kassis E, 418
Kataoka H, 864
Katholi RE, 1010
Kato H, 128
Katritsis D, 1211
Kaufman ES, 95
Kaul S, 1257, 1352
Kavanagh KM, 753
Kawamoto T, 694
Kawasaki T, 58
Kawashima Y, 694
Kazempour MK, 41
Keeling PJ, 78
Kegel JG, 1201
Keller MB, 351
Kent KM, 351
Kerber RE, 707, 1330
Kern MJ, 904, 1456
Khaja F, 1074
Khellaf F, 620
Kiat H, 273, 728
Kienzle MG, 288
Kim SG, 1263, 1453
King SB III, 514, 1107
Kisanuki A, 1089
Kishon Y, 1366
Kisslo J, 1220
Kitazawa H, 916
Kleiger RE, 95
Kleiman N, 1121
Klein AL, 66
Klein GJ, 836, 1146
Kleinhans E, 555
Klimov AN, 1071
Kloner RA, 243, 1456
Klues HG, 363
Knapp JC, 759
Ko Y-L, 1310
Kobayashi J, 694
Kobayashi S, 441
Kober G, 165
Koester D, 1010
Kofflard MJ, 939
Köhler K-P, 1319
Kono T, 1074
Kopp D, 787
Kornowski R, 883
Koskinen P, 897, 1172, 1418
Kotler MN, 1085
Kouchoukos NT, 1080
Kovoor P, 177
Kozàková M, 465
Kral J, 205
Kramer PH, 1348
Kranz A, 1334
Kreiner G, 1334
Krémer R, 1209
Kron IL, 652
Kron J, 113, 1400
Kronzon I, 846
Krumholz HM, 310
Kuan P, 677, 1310
Kubota JM, 115
Kudenchuk PJ, 877, 1400
Kulakowski P, 78
Kunkes SH, 363
Kupari M, 897, 1172, 1418
Kurita A, 140
Kuroiwa R, 1089
Kuryu T, 227
Kusano Y, 916

Laarman G-J, 1341
L'Abbate A, 538, 990
Lablanche J-M, 14
Labovitz AJ, 1448
Lahiri A, 1015
Lai L-P, 1310
Laks H, 672
Lam J, 699
Lammertsma AA, 134
Landau AJ, 995
Landau C, 711
Landini L, 465
Landsman MLJ, 560
Lang CC, 1083
Langberg JJ, 1323, 1406
Lange P, 354
Lange RA, 711
Lanza GA, 525
Lanzarini L, 865
Lapenna D, 830
Lapiello B, 1038
Lapsley D, 1359
LaRosa JC, 776
Larson M, 310
Larson MG, 662
Lasala JM, 1087
Latre JM, 413
Lau W, 177
Lauer MR, 471
Lawson W, 894
Lazar JM, 810, 1179
LeClerc J-L, 331
L'Ecuyer TJ, 1093
Ledoux S, 932
Lee C-P, 241
Lee RT, 1163
Lee TH, 672
Lee Y-H, 241
Lefkowitz MP, 41
Lehman B, 662, 1183
Lehmann MH, 816, 911
Leitch JW, 1146
Lembo NJ, 514
Leon MB, 351
Leone G, 58
Leppert MF, 171
Lesh MD, 1268
Leslie RDG, 305
Lespérance J, 1215
Lessmeier TJ, 911
Lethen H, 555
Levine J, 838
Levine JC, 689
Levo Y, 240, 883
Levy D, 310, 662, 1183
Lewington G, 134
Lewis BS, 149
Li Y-H, 1310
Liberman HA, 1107
Lie KI, 462, 560, 647
Lie RT, 255
Lieberman EB, 1220
Liem LB, 471
Lien W-P, 677, 1310
Ligon RW, 826
Limbourg P, 518
Lin F-Y, 677
Lin J-L, 1310
Lin J-M, 1310
Lin S-C, 677
Lindvall K, 144, 983
Linnaluoto MK, 1026
Litwin PE, 877
Liu MW, 514
Liu S-K, 944
Liucci GA, 1376
Lo SSS, 305
Loehr J, 1327
Löffler K, 666
Lolli G, 1152
Loop FD, 26
Loose U, 666
Lorca MT, 1389
Loscalzo J, 1359
Lotan C, 1206
Louridas G, 495
Lovallo WR, 407
Lowery MH, 100
Lubbers WJ, 699
Lubitz JD, 26
Lubsen J, 149
Ludbrook PA, 770
Ludomirsky A, 591
Ludwig EH, 171
Lue H-C, 85, 596
Luft FC, 666
Lundbom J, 640
Lurie KG, 1286
Lydtin H, 927

Ma H-M, 1310
Macartney FJ, 699
Macaya C, 325
MacNeill AB, 149
Maddahi J, 273
Maffei S, 741
Mager A, 823
Magnacca M, 763
Magnani B, 450
Maheu B, 469
Mahmarian JJ, 1
Makmur J, 525
Malik M, 205, 821, 1314
Mallavarapu C, 747
Maloney JD, 1263
Man KC, 1323, 1406
Mancini GBJ, 31, 495
Mandarino WA, 721
Mandelzweig L, 883
Mangat R, 1286
Mansourati J, 469
Manzato F, 397
Marcassa C, 538
Marchandise B, 1209
Marchant A, 331
Marchlinski FE, 911
Marcil M, 1215
Marek J, 205
Maron BJ, 363, 434, 944, 970, 978, 1048
Marquis JF, 165
Marrugat J, 1243
Martin JS, 877
Martin NB, 1188
Martin TJ, 1448
Martinelli L, 608
Marx HJ, 1072
Marzio L, 830
Marzullo P, 538, 990
Maseri A, 134
Massé J, 371
Mast G, 14
Matsuda H, 694
Matsushita R, 1089
Matsuzaki H, 1425
Matsuzaki M, 1425
Matzer L, 273
Maurea S, 199
Maurer I, 428
Mautner GC, 194
Mautner SL, 194
Maynard C, 877, 1295
Mazza JJ, 243
Mazzuca V, 922
McAlpine HM, 1083
McAnulty JH, 113, 1400
McCarthy EA, 108
McConahay DR, 826
McGhie J, 1431
McGovern ME, 31
McKenna WJ, 78, 211, 1156
McNeill GP, 1083
Mehan VK, 106
Mehta D, 857
Meier B, 106
Meijboom F, 1431
Meijler FL, 560
Meinken L, 894
Melacini P, 231, 973
Melandri G, 450
Mele D, 1305
Meltzer RS, 1411
Menard J, 620
Menashe V, 958
Mendelson M, 838
Menghini F, 1383
Menotti A, 1383
Menozzi C, 1152
Mentnech RM, 26
Messerli FH, 574, 818
Metzger J, 1137, 1274
Metzger JT, 964
Meyer RJ, 238
Meyerowitz CB, 1085
Meyer-Sabellek W, 518
Mezzetti A, 830
Michel P-L, 932
Middlekauff HR, 62, 658
Mikell FL, 1010
Miller DD, 715
Miller E, 1087
Minarini M, 231
Mintz GS, 351
Miorelli M, 973
Mirea A, 1352
Mirsky I, 268
Mitani H, 140
Mitchell LB, 753, 1146
Mitsuno M, 694
Mittleman RS, 843, 908
Miyao Y, 128
Mizuno K, 140
Montano CE, 226
Montresor G, 397
Morady F, 1323, 1406
Morehead A, 1305
Morgagni GL, 343
Morgan CD, 379
Morganroth J, 834
Moriguchi JD, 672
Morillo CA, 1146
Morise AP, 1197
Morita E, 128
Morris C, 958
Morris DC, 1107
Morris E, 1305
Moser D, 62
Moses HW, 1010
Motro M, 240
Motwani JG, 628
Moulijn AC, 682
Movoswitz C, 1085
Movsowitz H, 1085
Mukerjee AK, 863
Mulcahy D, 1203
Mulleneers R, 999
Muller JE, 47
Mullins CE, 591
Murayama T, 1089
Murgatroyd FD, 1314
Murphy MA, 770
Mussini A, 38
Myers J, 67
Myers S, 12

Naeff M, 5
Nagae Y, 50, 52
Nagaha, 52
Nagayo, 10
Nair RN, 2
Naitoh, 9
Nakami, 40
Nakano, 8
Nakao H, 1
Nakao S, 1
Nanna M, 8
Naschitz JE, 746
Natale A, 525
Nath S, 652
Nava A, 973
Navarro-López F, 1243
Neglia D, 538
Negri M, 397
Neirotti RA, 699
Nelson CL, 21
Nettleton MA, 742
Neuhaus K-L, 518
Neutel JM, 41
Newman D, 1286
Nicod P, 507
Nilsen DWT, 1004
Nishino M, 227
Nishioka T, 140
Nista N, 538
Nolan PE, 567
Nomoto K, 1089
Novotny H, 894

Occhetta E, 525
O'Connor C, 551
Oddone D, 1152
Odim JNK, 475
Ofili EO, 1448
Okada K, 1425
Okumura K, 188

O'Laughlin MP, 591
Oldridge N, 154
Oliver RP, 113
Olshansky B, 787
Omland T, 255
Ommen W, 445
O'Murchu B, 634
Oren S, 574
Orie JE, 1179
O'Rourke RA, 968
Orsinelli DA, 1337
Otsuji Y, 1089
Ottani F, 343
Ottenweller JE, 1226
Otto CM, 1331
Ouriel K, 602
Ovsyshcher I, 183
Ozawa T, 211

Pal S, 393
Palant A, 1366
Palazzini E, 450
Palmas W, 728
Pancholy S, 747
Panza JA, 199
Paoli F, 741
Papanicolaou M, 273
Paparella N, 1142
Paridon SM, 1444
Park JK, 113
Parker JO, 871
Parodi O, 538, 990
Parravicini U, 525
Paşaoğlu I, 493
Pastor A, 1389
Paterni M, 465
Paul T, 294
Pe E, 857, 1281
Pearce GL, 66
Pearce LA, 840
Pearlman AS, 1331
Pearson AC, 1337
Pearson TA, 1072
Pedretti R, 384
Peled B, 1366
Pelliccia A, 978, 1048
Penick D, 904
Penn O, 1274
Perrone N, 1038
Perrone-Filardi P, 199
Piacenti M, 741
Picano E, 465, 741
Pichard AD, 351
Pierach CA, 336
Pierre-Louis M-LY, 365
Piessens J, 165
Pieters F, 1137
Pieters FAA, 1043
Pilgrim DM, 1077
Pincomb GA, 407
Pines A, 240
Pingitore A, 465
Pinski SL, 1263
Pinsky MR, 721
Pinsky WW, 1444
Pirani R, 1142
Pires LA, 843, 908
Pitt B, 31
Plaschke M, 927
Poli A, 865
Poloniecki J, 205
Popma JJ, 351
Porterfield JG, 301
Porterfield LM, 301
Posma JL, 560
Pouleur H, 268
Pozzati A, 343
Prati PL, 1383
Previtali M, 865
Pringle TH, 1083
Pritchett ELC, 108
Puccini G, 990
Puddu P, 343
Pupita G, 134
Purcell H, 1203

Rabinowitz B, 1366
Raby KE, 889
Rafflenbeul W, 14
Ram VS, 41
Ramanathan KB, 104
Ramee SR, 805
Ramuscello G, 231
Ranney JE, 226
Raveau-Landon CM, 794
Reaven GM, 458
Recalcati F, 580
Rechavia E, 134, 823
Reddy KG, 1232
Reed JE, 1126
Reeder GS, 634
Regitz V, 484
Reicher-Reiss H, 831, 1366
Reimer A, 294
Reinhart RA, 863
Reisin L, 1366
Renaud S, 486
Rensing BJ, 14
Rey C, 1095
Rezkalla SH, 243
Riccio C, 525
Rickmeyer N, 1448
Ricou F, 507
Rigney DR, 1077
Rigo P, 1015
Rinaldi J-P, 854
Rinaldi O, 1301
Ritacco R, 183
Ritz EG, 567
Ritz R, 1329
Rivera JM, 1305
Robbins WG, 115
Roberts R, 379
Roberts SA, 567
Roberts WC, 118, 194, 233, 314, 365, 368, 371, 434, 626, 744, 944, 952, 1316
Rödler S, 1334
Rodriguez L-M, 964, 1137, 1274
Roelandt JRTC, 1431
Rokey R, 591
Rokseth R, 640
Rolnitzky LM, 95
Rosamond TL, 1348
Rose V, 402
Rosenfeld LE, 363
Rosenheck S, 235
Roskamm H, 121
Rosman H, 1074
Rosman HS, 31
Ross DL, 177
Ross J Jr, 507
Rossi P, 525
Roth JA, 1263
Rothbart RM, 840
Röthlisberger C, 73, 423, 799, 848
Rousseau MF, 268
Rovelli F, 1383
Rowen M, 1199
Rowland E, 1211
Rox J, 518
Rozenman Y, 1020, 1206
Rudnick MR, 770
Ruf G, 121
Rumberger JA, 1126
Russo AM, 1395
Rustige J, 518
Rutherford BD, 826
Rutsch W, 14, 165

Sabbah HN, 1074
Safar ME, 794
Saffitz JE, 1080
Sagie A, 662
Saito T, 441
Saksena S, 455, 816
Salcedo EE, 66
Salerno DM, 223, 567
Salvadori P, 538, 990
Salvatore L, 741
Sambuceti G, 538, 990
Sancho M, 413
Sandvik L, 629
Santarelli P, 525
Santiago P, 1348
Santini M, 922
Sapoznikov D, 235, 1020, 1206
Sareli P, 73, 423, 481, 799, 848, 850
Sasaguri M, 218
Sasaki H, 58
Satler LF, 351
Saul JP, 689
Saxon LA, 62, 658
Scali D, 1167
Schaffer M, 1327
Schalet BD, 1201
Scheinman M, 1286
Scheinman MM, 1268
Schenck MH, 591
Schifter S, 484
Schläpfer J, 1274
Schlesinger Z, 1366
Schmidt DH, 115
Schmieder RE, 574
Schmitzer E, 484
Schneider J, 1444
Schneider JA, 1010
Schneider M, 354
Schoenfeld MH, 1291
Schräder R, 1319
Schröder J, 8
Schröder R, 8
Schroeder E, 1209
Schuller JL, 699
Schulman DS, 810, 1179
Schumacher MC, 171
Schwarz KQ, 602
Schwarz M, 1334
Sclarovsky S, 823
Scruggs KD, 1188
Seccareccia F, 1383
Seelig CB, 226
Segal BL, 1201
Seger JJ, 828
Sehested J, 479, 484
Seino Y, 36
Selwyn AP, 889
Semprini F, 450
Serruys PW, 14, 165, 1341
Shah P, 1411
Shah PK, 1352
Shah PM, 356
Shahidi FE, 1249
Shahin S, 434
Shakudo M, 356
Shalev Y, 831
Sharma GVRK, 1359
Sharma S, 1359
Shaw L, 715
Sheehan FH, 1010
Sheiban I, 397
Sheldon RS, 753, 1146
Shelton ME, 1087
Sherman CT, 658
Sheu WH-H, 458
Shibata A, 916
Shibata K, 1089
Shieh S-M, 458
Shimai S, 36
Shimazaki Y, 694
Shimizu H, 1425
Shirani J, 118, 365, 368, 371, 434, 952, 1316
Shirkey DR, 288
Shu NH, 1126
Shumaker D, 958
Shyu K-G, 1310
Silagan G, 273
Silberbach M, 958
Silka MJ, 113
Simek CL, 1257
Simpson IA, 1156
Singh SN, 628, 1457
Siostrzonek P, 1334
Skjaerpe T, 640
Skoularigis J, 73, 423, 481, 848
Skudicky D, 73, 423, 848
Slade AKB, 78
Slavich IL III, 746
Smart FW, 805
Smeets JLMR, 1274
Smeets JLRM, 964, 1137
Smith BA, 301
Smith DHG, 41
Smith WH, 1257
Smolarz A, 518
Smyllie J, 149
Sneddon JF, 1156, 1314
Soerlie C, 260
Solodky A, 823
Solomon HS, 47
Solomon SD, 1163
Solymoss BC, 1215
Sorensen GK, 491
Soria F, 574
Sparrow J, 1203
Spataro A, 978, 1048
Spinelli L, 1376
Spirito P, 970
Spodick DH, 487
Sridhara BS, 1015
St John Sutton M, 305
Stack RS, 21
Stahl DJ, 1080
Stapczynski JS, 567
Stapleton DD, 805
Staunton HA, 1156
Stein PK, 95
Steinman RC, 95
Steinman RT, 911
Stelken A, 715
Stepniakowski K, 53
Steurer G, 349
Stevenson JG, 491
Stevenson LW, 62, 672
Stevenson WG, 62, 658
Stewart S, 1411
Stewart WJ, 66
Stites HW, 836
Stone D, 235
Strickberger SA, 1323, 1406
Struthers AD, 628, 1083
Stubbs ME, 47
Stuhlmuller J, 1330
Stuhlmuller JE, 707
Stümpflen A, 1334
Sturrock NDC, 1083
Sugiura T, 162
Sulkes J, 823
Sullivan JM, 104
Sullivan M, 767
Sullivan NM, 1444
Sundt TM, 1080
Suneja R, 1232
Sung BH, 407
Sung RJ, 471
Suryapranata H, 1341
Sys SU, 1101
Szatmari A, 1431
Sztern MI, 1131

Taillon LA, 1114
Taira A, 1089
Takahashi T, 1425
Takano H, 441
Takano T, 36
Takase B, 140
Takata J, 211
Takeda K, 441
Takehana K, 162
Takei Y, 111
Takemoto K, 728
Takkunen JT, 1026
Tamesis B, 715
Tanaka H, 128, 1089
Tanaka N, 1425
Tanaka S, 36
Taniguchi K, 694
Tarumi N, 162
Tawam M, 838
Taylor C, 134
Taylor CB, 1361
Taylor GJ, 1010
Tcheng JE, 21
Teague SM, 407

Tebbe U, 518
ten Cate FJ, 939
Tenaglia AN, 21
Terral A, 854
Terrazzi M, 741
Testa R, 538
Thakur RK, 836
Thaulow E, 629
Thiene G, 231
Thomas EL, 1188
Thomas JD, 1305
Thurber D, 551
Tikkanen MJ, 897
Tillema V, 243
Tobé TJM, 647
Tofler GH, 47
Tomai F, 1167
Tomochika Y, 1425
Tone T, 1425
Tonni S, 397
Topol EJ, 1121, 1207
Toptine JH, 1220
Tordoir J, 445
Torrance G, 154
Torres F, 413
Toscano S, 525
Toyozaki T, 441
Treasure CB, 889
Trenkwalder P, 927
Trianni G, 741
Trucco G, 763
Trusler GA, 586
Tsai L-M, 1324
Tsakonas K, 349
Tschori J, 823
Tseng Y-Z, 677
Turrini P, 973

Uchiyama H, 916
Uebis R, 14, 165
Uehata A, 140
Uezono K, 58
Unger P, 331
Urabe Y, 218
Urban P, 106
Utens EMWJ, 1431

Vacek JL, 1348
Vahanian A, 932
Vaksmann G, 1095
Valeix B, 165
Valenti LA, 759
Vallés F, 413
Van De Werf F, 359
Van Den Berg MP, 560
van den Bos AA, 1341
van den Brink RBA, 682
van der Meer J, 462
van der Schaaf W, 462
van Dyk M, 850
Van Eyll C, 268
Van Fossen DB, 770
Van Gelder IC, 560
van Gilst WH, 647
Van Tassel RA, 223
Van Train K, 273
van Vreeland T, 682
Vandenberg BF, 707, 1330
Vandervoort PM, 1305
Vaughn M, 1448
Vaur L, 620
Vazquez de Prada JA, 1305
Venco A, 1301
Ventura HO, 805
Verani MS, 1
Verdile L, 922
Verheul HA, 682
Vermylen J, 359
Versaci F, 1167
Viamonte M Jr, 247
Vigano' M, 608
Villanova C, 231
Vinson E, 1257
Virolainen J, 897
Visser CA, 699
Vita JA, 1359
Vlasses PH, 567
Vogt A, 518
Vokonas PS, 979
Völler H, 8
von Essen R, 518
Vorperian V, 1406
Vorperian VR, 1323
Vos J, 939
Vos MA, 999
Vrolicx M, 165

Waggoner AD, 90
Wagner J, 518
Wagshal AB, 843, 908
Walance CG, 113, 1400
Walden JA, 672
Waldman SA, 834
Waldstein DJ, 939
Walsh EP, 689
Wambsgans KC, 1188
Wander GS, 615
Wang J-K, 85, 596
Wang K, 223
Wang T-L, 1310
Wang Y-S, 1268
Wangensteen SD, 336
Ward D, 1211
Ward DE, 1314
Ward KD, 979
Wareing TH, 1080
Wasaki Y, 1425
Washizuka T, 916
Wasserleben V, 747
Watson DD, 1257
Watts LE, 1249
Waugh RA, 551, 1220
Waxman HL, 1395
Weaver WD, 877
Weber H, 1334
Weber MA, 41
Wei JY, 1077
Weide A, 1274
Weinberg PM, 1435
Weiner DA, 818
Weintraub WS, 1107
Weiss AT, 1206
Weiss I, 1329
Weiss M, 555
Weiss P, 1329
Welber S, 1020, 1206
Wellens HJ, 1043
Wellens HJJ, 445, 964, 999, 1137, 1274
Wellons HA, 1010
Wenisch H, 1319
Wesolowska E, 1215
Wesseling H, 647
Wexler L, 770
Weyman A, 1305
White CJ, 805
White CW, 379
Wi M-H, 596
Widdershoven JW, 1043
Wiegand V, 165
Wiesfeld ACP, 647
Wilber D, 787
Wilber DJ, 911
Wilkinson WE, 108
Willard JE, 711
Williams KA, 1114
Williams RR, 171
Williams WG, 586
Williamson B, 1406
Williamson BD, 1323
Wilmore JH, 1188
Wilson MF, 407
Wilson RF, 379
Winniford M, 770
Winters SL, 1281
Wisenbaugh T, 73, 423, 799
Witsenburg M, 976
Wolf J-P, 932
Wolfe MM, 1163
Wolff S, 1163
Wong C-K, 532
Woo M, 62
Woodruff RC, 1010
Woods WT Jr, 1010
Wright C, 1203
Wu J-J, 853
Wu J-M, 596
Wu M-H, 85
Wu Y-N, 596
Wudel E, 479
Wyse DG, 753, 1146

Xie B, 1137

Yamabe H, 188
Yamada Y, 227
Yamamoto Y, 134
Yasue H, 128, 188
Yasuno M, 227
Yeatman LA, 658
Yee R, 836, 1146
Yeh K-H, 853
Yi G, 78
Yiannacopulu P, 1142
Yli-Mäyry S, 1371
Yorimitsu K, 441
Yoshimura M, 128
Young C, 471
Young MH, 458
Younis L, 715

Zabalgoitia M, 840
Zafari AM, 368
Zahavi I, 1366
Zamorano J, 325
Zanetta M, 525
Zarco P, 325
Zaret BL, 968
Zbrozek AS, 567
Zehetgruber M, 1334
Zeppellini R, 489
Zierz S, 428
Zijlstra F, 1341
Zion M, 831, 883, 1366
Zissman E, 831
Zuber M, 1329

Accessory pathways
A characteristic electrocardiographic pattern indicative of manifest left-sided posterior septal/paraseptal accessory atrioventricular connections; 471
Early recurrence of accessory pathways after radiofrequency catheter ablation does not preclude long-term cure; 843
Evaluation of an abbreviated protocol for catheter ablation of left free wall accessory pathways; 836
Low-energy ablation of accessory pathways in cases for which the radiofrequency approach had failed; 1211
Radiofrequency ablation of accessory pathways associated with congenital heart disease including heterotaxy syndrome; 689
Radiofrequency catheter ablation of accessory pathway during entrainment of the atrioventricular reciprocating tachycardia; 188
The 12-lead electrocardiogram in midseptal, anteroseptal, posteroseptal and right free wall accessory pathways; 1274

Acromegaly
Long-term echocardiographic follow-up of acromegalic heart disease; 205

Adenosine
Absence of adenosine-induced chest pain after total cardiac afferent denervation; 483

Age
Non-thoracotomy closure of persistent ductus arteriosus beyond age 60 years; 1319

Alcohol
Relation of left ventricular function to habitual alcohol consumption; 1418

Ambulatory monitoring
Comparison of bisoprolol with atenolol for systemic hypertension in four population groups (young, old, black and nonblack) using ambulatory blood pressure monitoring; 41
Usefulness of simultaneous ambulatory electrocardiographic and blood pressure monitoring in detecting myocardial ischemia in patients 70 years of age with systemic hypertension; 927

American Academy of Pediatrics abstracts
American Academy of Pediatrics; 497

Amiodarone
Comparison of electrophysiologic effects of quinidine and amiodarone in sustained ventricular tachyarrhythmias associated with coronary artery disease; 1389
Comparison of the effects of amiodarone versus metoprolol on the frequency of ventricular arrhythmias and on mortality after acute myocardial infarction; 1243
Effectiveness of amiodarone and electrical cardioversion for chronic rheumatic atrial fibrillation after mitral valve surgery; 423
Oral amiodarone loading for the rapid treatment of frequent, refractory, sustained ventricular arrhythmias associated with coronary artery disease; 1395

Amlodipine
Effects of amlodipine versus diltiazem on morning peak in myocardial ischemic activity in angina pectoris; 1203

Amyloidosis
Usefulness of technetium-99m pyrophosphate myocardial scintigraphy in amyloid polyneuropathy and correlation with echocardiography; 854

Aneurysm
Transesophageal echocardiography in congenital submitral aneurysm; 481

Aneurysmal transformation
Implication of aneurysmal transformation in isolated perimembranous ventricular septal defect; 596

Anger
Anger report predicts coronary artery vasomotor response to mental stress in atherosclerotic segments; 1361

Angina pectoris
Assessment of left ventricular wall motion in angina pectoris by two-dimensional echocardiography and myocardial perfusion by technetium-99m sestamibi tomography during adenosine-induced coronary vasodilation and comparison with coronary angiography; 983
Clinical and angiographic prediction of myocardial infarction and recurrence of severe angina during a five-year follow-up after coronary artery bypass grafting; 1371
Development of angina pectoris pain and cardiac events in asymptomatic patients with myocardial ischemia; 121
Eccentric dosing with isosorbide-5-mononitrate in angina pectoris; 871
Effects of amlodipine versus diltiazem on morning peak in myocardial ischemic activity in angina pectoris; 1203
Effects of sublingual nitroglycerin on the gas exchange response to exercise in stable angina pectoris; 767
Heightened free radical activity in angina pectoris; 830
Improvement in exercise tolerance and immediate beta-adrenergic blockade with intranasal propranolol in patients with angina pectoris; 995
Prevalence and significance of transient—predominantly asymptomatic—myocardial ischemia on Holter monitoring in unstable angina pectoris, and correlation with exercise test and thallium-201 myocardial perfusion imaging; 14
Regional myocardial blood flow in stable angina pectoris associated with isolated significant narrowing of either the left anterior descending or left circumflex coronary artery; 990
Relation between clinical presentation and angiographic findings in unstable angina pectoris, and comparison with that in stable angina; 544
Suppression of hyperventilation-induced attacks with infusion of atrial natriuretic peptide in patients with variant angina pectoris; 128
The paradox of nitrates in patients with angina pectoris and angiographically normal coronary arteries; 343
Usefulness and tolerability of hirulog, a direct thrombin-inhibitor, in unstable angina pectoris; 1359
Value of the electrocardiogram in diagnosing the number of severely narrowed coronary arteries in rest angina pectoris; 999

Angiography
A new hemostatic puncture closure device for the immediate sealing of arterial puncture sites; 445
Angiographic predictors of recurrence of restenosis after Wiktor stent implantation in native coronary arteries; 165
Assessment of left ventricular wall motion in angina pectoris by two-dimensional echocardiography and myocardial perfusion by technetium-99m sestamibi tomography during adenosine-induced coronary vasodilation and comparison with coronary angiography; 983
Design and recruitment in the United States of a multicenter quantitative angiographic trial of pravastatin to limit atherosclerosis in the coronary arteries (PLAC I); 31
Effects of coronary stenosis severity on variability of quantitative angiography; 495
Left ventricular volumes during exercise in normal subjects and patients with dilated cardiomyopathy assessed by first-pass radionuclide angiography; 1167
Multicenter trial of ionic versus nonionic contrast media for cardiac angiography; 770
Percutaneous transluminal coronary angioplasty catheters versus fluid-filled pressure monitoring guidewires for coronary pressure measurements and correlation with quantitative coronary angiography; 1101
Relation between clinical presentation and angiographic findings in unstable angina pectoris, and comparison with that in stable angina; 544
Usefulness of quantitative and qualitative angiographic lesion morphology, and clinical characteristics in predicting major adverse cardiac events during and after native coronary balloon angioplasty; 14
Usefulness of repeat coronary angiography 24 hours after successful balloon angioplasty to evaluate early luminal deterioration and facilitate quantitative analysis; 1341

Angiography, percutaneous transluminal coronary
Clinical and angiographic correlates of in-hospital death after percutaneous transluminal coronary angioplasty for conditions other than acute myocardial infarction; 826

Angioplasty
Angiographic eligibility of community hospital patients with multivessel coronary artery disease for percutaneous transluminal coronary angioplasty or coronary artery bypass grafting; 460
Angiographic predictors of a rise in serum creatine kinase (distal embolization) after balloon angioplasty of saphenous vein coronary artery bypass grafts; 514
Clinical and angiographic predictors of immediate recoil after successful coronary angioplasty and relation to late restenosis; 1020
Comparison of results of coronary angioplasty during acute myocardial infarction with and without previous coronary bypass surgery; 1348
Complete membranous obstruction of the inferior vena cava treated successfully by King's bioptome and balloon angioplasty; 241
Effect of percutaneous transluminal coronary angioplasty on circulating endothelin levels; 1352
Effects of percutaneous transluminal coronary angioplasty balloon compliance on angiographic and clinical outcomes; 904
Effect of restenosis at one previously dilated coronary site on the probability of restenosis at another previously dilated coronary site; 1107
Great expectations and disappointment with laser angioplasty; 372
Hemoperfusion during right coronary artery angioplasty causing high-grade heart block; 828
Influence on early outcome and restenosis of urokinase before elective coronary angioplasty; 106
Late outcome after percutaneous transluminal coronary angioplasty during acute myocardial infarction; 634
Long-term outcome following successful reopening of abrupt closure after coronary angioplasty; 21
Long-term outcome of patients with asymptomatic restenosis after percutaneous transluminal coronary angioplasty; 1209
Noninvasive assessment of coronary flow dynamics before and after coronary angioplasty using transesophageal Doppler; 1238
Percutaneous transluminal coronary angioplasty catheters versus fluid-filled pressure monitoring guidewires for coronary pressure measurements and correlation with quantitative coronary angiography; 1101
Plasma lipoproteins are not related to restenosis after successful coronary angioplasty; 1206
Radiation exposure from percutaneous transluminal coronary angioplasty; 746
Rehospitalizations after coronary revascularization among Medicare beneficiaries; 26
Responses of heart rate variability to coronary occlusion during coronary angioplasty; 1026
Surgical back-up in percutaneous transluminal coronary angioplasty; 495
Usefulness of dobutamine echocardiography for detecting restenosis after percutaneous transluminal coronary angioplasty; 1220
Usefulness of quantitative and qualitative angiographic lesion morphology, and clinical characteristics in predicting major adverse cardiac events during and after native coronary balloon angioplasty; 14
Usefulness of repeat coronary angiography 24 hours after successful balloon angioplasty to evaluate early luminal deterioration and facilitate quantitative analysis; 1341

Angioscopy
Assessment of intracoronary morphology in cardiac transplant recipients by angioscopy and intravascular ultrasound; 805

Anistreplase
Anti-streptokinase antibodies inhibit fibrinolytic effects of anistreplase in acute myocardial infarction; 462

Antiarrhythmic therapy
Noninvasive prediction of efficacy of type IA antiarrhythmic drugs by the signal-averaged electrocardiogram in patients with coronary artery disease and sustained ventricular tachycardia; 288
Randomized antiarrhythmic drug therapy in survivors of cardiac arrest (the CASCADE study); 280

Anticoagulation
Impact of transesophageal echocardiography on the anticoagulation management of patients admitted with focal cerebral ischemia; 707

Aorta
Three-dimensional reconstruction of the descending thoracic aorta from transesophageal echocardiographic images; 1087

Aortic coarctation
Effects of captopril on renal function before and after surgical correction of aortic coarctation; 479

Aortic dissection
Familiar clustering of aortic dissection in polycystic kidney disease; 741
How many patients with acute dissection of the thoracic aorta would erroneously receive thrombolytic therapy based on the electrocardiographic findings on admission?; 1329
Risk of aortic dissection after aortic valve replacement; 1043

Aortic regurgitation
Comparison of single-dose nifedipine and captopril for chronic severe aortic regurgitation; 799

Aortic sinus
Coronary ostial dimple (in the posterior aortic sinus) in the absence of other coronary arterial abnormalities; 118
The case of a fascinating dimple; 102

Aortic stenosis
Clinical factors useful in predicting aortic valve structure in patients 40 years of age with isolated valvular aortic stenosis; 194
Myocardial respiratory chain enzyme activities in idiopathic dilated cardiomyopathy, and comparison with those in atherosclerotic coronary artery disease and valvular aortic stenosis; 428
Prognosis of congestive heart failure in patients aged $\geq$62 years with unoperated severe valvular aortic stenosis; 846

Aortic valve
Clinical factors useful in predicting aortic valve structure in patients 40 years of age with isolated valvular aortic stenosis; 194
Long-term echocardiographic Doppler monitoring of Hancock bioprostheses in the aortic valve position; 231
Risk of aortic dissection after aortic valve replacement; 1043
Transthoracic and transesophageal echocardiographic sizing of the aortic annulus to determine prosthesis size; 1411

Aprotinin
Disseminated intravascular coagulation after administration of aprotinin in combination with deep hypothermic circulatory arrest; 1080

Arrhythmias
Comparison of mortality in patients treated with propafenone to those treated with a variety of antiarrhythmic drugs for supraventricular arrhythmias; 108
Comparison of the usefulness of the implantable cardioverter-defibrillator and subendocardial resection in patients with sustained ventricular arrhythmias and poor regional wall motion associated with coronary artery disease; 652
Disorders of the heartbeat: a historical overview from antiquity to the mid-20th century; 1055
Effects of streptokinase during acute myocardial infarction on the signal-averaged electrocardiogram and on the frequency of late arrhythmias; 647
Usefulness of propafenone for supraventricular arrhythmias in infants and children; 294
Usefulness of signal-averaged electrocardiogram in idiopathic dilated cardiomyopathy for identifying patients with ventricular arrhythmias; 78

Asymptomatic Cardiac Ischemia Pilot study
Comparison of the Asymptomatic Cardiac Ischemia Pilot and modified Asymptomatic Cardiac Ischemia Pilot versus Bruce and Cornell exercise protocols; 715

Atenolol
Comparative effects of atenolol versus celiprolol on serum lipids and blood pressure in hyperlipidemic and hypertensive subjects; 1131

Comparison of bisoprolol with atenolol for systemic hypertension in four population groups (young, old, black and nonblack) using ambulatory blood pressure monitoring; 41

Effects of thrombolysis and atenolol or metoprolol on the signal-averaged electrocardiogram after acute myocardial infarction; 525

Slowing of mitral valve annular calcium in systemic hypertension by nifedipine and comparisons with enalapril and atenolol; 1038

Atherectomy

Impact of directional atherectomy on adjacent branch vessels; 351

Atherosclerosis

Cholesterol and atherosclerosis: "The new is the old rediscovered"; 1071

Design and recruitment in the United States of a multicenter quantitative angiographic trial of pravastatin to limit atherosclerosis in the coronary arteries (PLAC I); 31

Measurement by intracoronary ultrasound of in vivo arterial distensibility within atherosclerotic lesions; 1232

Myocardial respiratory chain enzyme activities in idiopathic dilated cardiomyopathy, and comparison with those in atherosclerotic coronary artery disease and valvular aortic stenosis; 428

Serum lipoprotein (a) as a risk factor for thoracic aortic atherosclerosis in subjects aged 40 years; 227

Athletes

Absence of left ventricular wall thickening in athletes engaged in intense power training; 1048

Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists; 620

Prospective echocardiographic screening for coronary artery anomalies in 1,360 elite competitive athletes; 978

Usefulness of transesophageal pacing during exercise for evaluating palpitations in top-level athletes; 922

Atrial fibrillation

Effectiveness and costs of digoxin treatment for atrial fibrillation and flutter; 567

Effectiveness of amiodarone and electrical cardioversion for chronic rheumatic atrial fibrillation after mitral valve surgery; 423

Improvement in left ventricular function by ablation of atrioventricular nodal conduction in selected patients with lone atrial fibrillation; 1137

Long-term effects of theophylline in atrial fibrillation with a slow ventricular response; 1142

Mitral regurgitation associated with reduced thromboembolic events in high-risk patients with nonrheumatic atrial fibrillation; 840

Time course of hemodynamic changes and improvement of exercise tolerance after cardioversion of chronic atrial fibrillation unassociated with cardiac valve disease; 560

Usefulness of transesophageal echocardiography to screen for left atrial thrombus before elective cardioversion for atrial fibrillation; 1337

Atrial natriuretic peptide

Renal, hemodynamic and neurohormonal effects of atrial natriuretic factor in cardiac allograft recipients treated with cyclosporin A; 1083

Suppression of hyperventilation-induced attacks with infusion of atrial natriuretic peptide in patients with variant angina pectoris; 128

Atrial septal defect

Long-term follow-up (9 to 20 years) after surgical closure of atrial septal defect at a young age; 1431

Two-dimensional echocardiographic and color Doppler measurements of atrial septal defect, and comparison with the balloon-stretched diameter; 1095

Atrial tachycardia

Effectiveness of radiofrequency catheter ablation for treatment of atrial tachycardia; 787

Atrioventricular block

Prognostic significance of second-degree atrioventricular block in inferior wall acute myocardial infarction; 831

Atrioventricular conduction

Improvement in left ventricular function by ablation of atrioventricular nodal conduction in selected patients with lone atrial fibrillation; 1137

Atrioventricular junction

A randomized comparison of the right- and left-sided approaches to ablation of the atrioventricular junction; 1406

Bad Nauheim

Spa therapy for heart disease Bad Nauheim (circa 1900); 336

Beta-endorphin

Usefulness of plasma beta-endorphin level, pain threshold and autonomic function in assessing silent myocardial ischemia in patients with and without diabetes mellitus; 140

Biopsy

Gross and semiquantitative histologic findings in mononuclear cell myocarditis causing sudden death, and implications for endomyocardial biopsy; 952

Bisoprolol

Comparison of bisoprolol with atenolol for systemic hypertension in four population groups (young, old, black and nonblack) using ambulatory blood pressure monitoring; 41

Blood flow

Alteration in regulation of myocardial blood flow in one-vessel coronary artery disease determined by positron emission tomography; 538

Comparison of regional myocardial blood flow in syndrome X and one-vessel coronary artery disease; 134

Regional myocardial blood flow in stable angina pectoris associated with isolated significant narrowing of either the left anterior descending or left circumflex coronary artery; 990

Regional systolic function, myocardial blood flow and glucose uptake at rest in hypertrophic cardiomyopathy; 199

Blood pressure

Blood pressure 24-hour pattern in two industrialized countries (Italy and Japan) with a different culture in salt intake; 58

Cardiac adaptation to increased systemic blood pressure in borderline hypertensive men; 407

Effects of smoking cessation on blood pressure; 979

Site of myocardial ischemia as a determinant of postexercise blood pressure and heart rate response in coronary artery disease; 1376

C-peptide

Interrelation between angiographic severity of coronary artery disease and plasma levels of insulin, C-peptide and plasminogen activator inhibitor-1; 397

Calcium

Differences in prevalence and extent of coronary artery calcium detected by Ultrafast computed tomography in asymptomatic men and women; 247

Calcium antagonists

Are all calcium antagonists equally effective for reducing reinfarction rate; 818

Captopril

An inappropriate article; 628

Comparison of single-dose nifedipine and captopril for chronic severe aortic regurgitation; 799

Effects of captopril on renal function before and after surgical correction of aortic coarctation; 479

Reply; 628

Cardiac adaptation

Cardiac adaptation to increased systemic blood pressure in borderline hypertensive men; 407

Sex differences in cardiac adaptation to isolated systolic hypertension; 310

Cardiac arrest

Characteristics of patients with nonfatal cardiac arrest 3 to 180 days after acute myocardial infarction; 753

Randomized antiarrhythmic drug therapy in survivors of cardiac arrest (the CASCADE study); 280

Cardiac output

Accuracy of a new nongeometric pulsed Doppler method in cardiac output evaluation; 489

Effects of propranolol and pindolol on cardiac output during extended periods of low-intensity physical activity; 1188

Variability of cardiac output as determined by impedance cardiography in pacemaker patients; 183

Cardiac rehabilitation

Economic evaluation of cardiac rehabilitation soon after acute myocardial infarction; 154

Cardiac transplantation

Assessment of intracoronary morphology in cardiac transplant recipients by angioscopy and intravascular ultrasound; 805

Clinicopathologic features of hypertrophic cardiomyopathy managed by cardiac transplantation; 434

Effects of acute administration of cyclosporine on levels of cardiovascular hormones in heart transplant recipients; 484

Effects of serotonin on coronary arteries of cardiac transplant recipients; 331

Systemic but not renal production of prostacyclin is highly reduced in cyclosporin-treated heart transplant recipients; 486

Cardiac valve disease

Time course of hemodynamic changes and improvement of exercise tolerance after cardioversion of chronic atrial fibrillation unassociated with cardiac valve disease; 560

Cardioacceleration

Preserved walking-induced cardioacceleration in the elderly despite reduced heart rate response to standing; 1077

Cardiography

Variability of cardiac output as determined by impedance cardiography in pacemaker patients; 183

Cardiomyopathy

Assessment of flow profile of left anterior descending coronary artery in hypertrophic cardiomyopathy by transesophageal pulsed Doppler echocardiography; 1425

Both aborted sudden cardiac death and end-stage phase in hypertrophic cardiomyopathy; 363

Clinical and hemodynamic predictors of survival in patients aged 65 years with severe congestive heart failure secondary to ischemic or nonischemic dilated cardiomyopathy; 413

Clinicopathologic features of hypertrophic cardiomyopathy managed by cardiac transplantation; 434

Comparison of clinical findings in idiopathic dilated cardiomyopathy in women versus men; 580

Comparison of morphologic findings in spontaneously occurring hypertrophic cardiomyopathy in humans, cats and dogs; 944

Comparison of QT dispersion in hypertrophic cardiomyopathy between patients with and without ventricular arrhythmias and sudden death; 973

Experience with three different third-generation cardioverter-defibrillators in patients with coronary artery disease or cardiomyopathy; 301

Impact of patient selection biases on the perception of hypertrophic cardiomyopathy and its natural history; 970

Left ventricular volumes during exercise in normal subjects and patients with dilated cardiomyopathy assessed by first-pass radionuclide angiography; 1167

Myocardial respiratory chain enzyme activities in idiopathic dilated cardiomyopathy, and comparison with those in atherosclerotic coronary artery disease and valvular aortic stenosis; 428

Outcome with implantable cardioverter-defibrillator therapy for survivors of ventricular fibrillation secondary to idiopathic dilated cardiomyopathy or coronary artery disease without myocardial infarction; 911

Predicting death from progressive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy; 62

Prognosis in hypertrophic cardiomyopathy observed in a large clinic population; 939

Prognostic significance and the role of dual-chamber pacing in atrioventricular delay in idiopathic dilated cardiomyopathy; 864

Regional systolic function, myocardial blood flow and glucose uptake at rest in hypertrophic cardiomyopathy; 199

Regional thallium-201 washout and myocardial hypertrophy in hypertrophic cardiomyopathy and its relation to exertional chest pain; 211

Responses to dynamic cardiomyoplasty for idiopathic dilated cardiomyopathy; 475

Usefulness of signal-averaged electrocardiogram in idiopathic dilated cardiomyopathy for identifying patients with ventricular arrhythmias; 78

Cardiomyoplasty

Responses to dynamic cardiomyoplasty for idiopathic dilated cardiomyopathy; 475

Cardiopulmonary performance

Cardiopulmonary performance at rest and exercise after repair of total anomalous pulmonary venous connection; 1444

Cardiovascular medicine

Cardiovascular medicine: subspecialty or specialty; 968

Cardioversion

Effectiveness of amiodarone and electrical cardioversion for chronic rheumatic atrial fibrillation after mitral valve surgery; 423

Usefulness of transesophageal echocardiography to screen for left atrial thrombus before elective cardioversion for atrial fibrillation; 1337

Cardioverter-defibrillator

Comparison of the usefulness of the implantable cardioverter-defibrillator and subendocardial resection in patients with sustained ventricular arrhythmias and poor regional wall motion associated with coronary artery disease; 652

Evaluation of treatment strategies of malignant ventricular tachyarrhythmias in the era of the implantable defibrillator; 455

Experience with three different third-generation cardioverter-defibrillators in patients with coronary artery disease or cardiomyopathy; 301

Hypothetical death rates of patients with implantable defibrillators remain very hypothetical; 1453

Improvisation in implantable medical devices: a Gordian knot; 816

Influence of left ventricular function on survival and mode of death after implantable defibrillator therapy (Cleveland Clinic Foundation and Montefiore Medical Center Experience); 1263

Outcome with implantable cardioverter-defibrillator therapy for survivors of ventricular fibrillation secondary to idiopathic dilated cardiomyopathy or coronary artery disease without myocardial infarction; 911

Rehospitalization in surviving patients of out-of-hospital ventricular fibrillation (the CASCADE study); 1295

Subpectoral implantation of cardioverter-defibrillator combined with a nonepicardial lead system: preliminary experience with a novel approach; 857

CASCADE study

Randomized antiarrhythmic drug therapy in survivors of cardiac arrest (the CASCADE study); 280

Rehospitalization in surviving patients of out-of-hospital ventricular fibrillation (the CASCADE study); 1295

Catheter ablation

Ventricular septal summit stimulation in atrioventricular nodal reentrant tachycardia; 1268

Catheters

Percutaneous transluminal coronary angioplasty catheters versus fluid-filled pressure monitoring guidewires for coronary pressure measurements and correlation with quantitative coronary angiography; 1101

Celiprolol

Comparative effects of atenolol versus celiprolol on serum lipids and blood pressure in hyperlipidemic and hypertensive subjects; 1131

Cell markers

Expression of proliferating cell markers in normal and diseased human hearts; 608

Central Illinois Thrombolytic Therapy Study

A difference between front-loaded streptokinase and standard-dose recombinant tissue-type plasminogen activator in preserving left ventricular function after acute myocardial infarction (the Central Illinois Thrombolytic Therapy Study); 1010

Cerebral ischemia

Impact of transesophageal echocardiography on the anticoagulation management of patients admitted with focal cerebral ischemia; 707

Children

Long-term follow-up (9 to 20 years) after surgical closure of atrial septal defect at a young age; 1431

Oral propafenone as treatment for incessant supraventricular and ventricular tachycardia in children; 1213

Usefulness of propafenone for supraventricular arrhythmias in infants and children; 294

Chinese

Double-inlet ventricle in Chinese patients; 85

Cholesterol

Cholesterol and atherosclerosis: "The new is the old rediscovered"; 1071

Cholesterol lowering, low cholesterol, and mortality; 776

Effects of pravastatin in patients with serum total cholesterol levels from 5.2 to 7.8 mmol/liter (200 to 300 mg/dl) plus two additional atherosclerotic risk factors; 1031

Relation of coronary artery disease in women 60 years of age to the combined elevation of serum lipoprotein (a) and total cholesterol to high-density cholesterol ratio; 1215

Cimetidine

Effects of histamine type 2-receptor antagonists cimetidine and famotidine on left ventricular systolic function in chronic congestive heart failure; 1163

Circadian variation

Blood pressure 24-hour pattern in two industrialized countries (Italy and Japan) with a different culture in salt intake; 58

Circulatory arrest

Disseminated intravascular coagulation after administration of aprotinin in combination with deep hypothermic circulatory arrest; 1080

Cocaine

Effects of cocaine on human platelets in healthy subjects; 243

Ergonovine testing and forearm plethysmography in cocaine-related myocardial ischemia; 104

Computed tomography

Differences in prevalence and extent of coronary artery calcium detected by Ultrafast computed tomography in asymptomatic men and women; 247

Study of myocardial infarct remodeling by single-photon emission computed tomographic imaging; 747

Computer analysis

Sensitivity in detecting drug-induced alterations in the PR interval: comparison of the surface electrocardiogram measured by a cardiologist versus routine automated computer analysis; 834

Congenital heart disease

Double-inlet ventricle in Chinese patients; 85

Predicting hospital charge and length of stay for congenital heart disease surgery; 958

Radiofrequency ablation of accessory pathways associated with congenital heart disease including heterotaxy syndrome; 689

Right and left ventricular area and function determined by two-dimensional echocardiography in adults with the Eisenmenger syndrome from a variety of congenital anomalies; 90

Usefulness of biplane transesophageal echocardiography in neonates, infants and children with congenital heart disease; 699

Congestive heart failure

Clinical and hemodynamic predictors of survival in patients aged 65 years with severe congestive heart failure secondary to ischemic or nonischemic dilated cardiomyopathy; 413

Congestive heart failure, dilated cardiac ventricles, and sudden death in hyperthyroidism; 365

Effects of histamine type 2-receptor antagonists cimetidine and famotidine on left ventricular systolic function in chronic congestive heart failure; 1163

Effects of long-term oral magnesium chloride replacement in congestive heart failure secondary to coronary artery disease; 1156

Effects of orthostatic stress on peripheral capillary filtration in mild congestive heart failure after healing of myocardial infarction; 418

Prognosis of congestive heart failure in patients aged $\geq$ 62 years with unoperated severe valvular aortic stenosis; 846

Contrast media

Multicenter trial of ionic versus nonionic contrast media for cardiac angiography; 770

Cor pulmonale

Fatal cor pulmonale caused by extensive tumor emboli in the small pulmonary arteries without emboli in the major pulmonary arteries or metastases in the pulmonary parenchyma; 233

Coronary artery anomaly

Prospective echocardiographic screening for coronary artery anomalies in 1,360 elite competitive athletes; 978

Coronary artery bypass grafting

Angiographic eligibility of community hospital patients with multivessel coronary artery disease for percutaneous transluminal coronary angioplasty or coronary artery bypass grafting; 460

Angiographic predictors of a rise in serum creatine kinase (distal embolization) after balloon angioplasty of saphenous vein coronary artery bypass grafts; 514

Clinical and angiographic prediction of myocardial infarction and recurrence of severe angina during a five-year follow-up after coronary artery bypass grafting; 1371

Comparison of results of coronary angioplasty during acute myocardial infarction with and without previous coronary bypass surgery; 1348

Digital dipyridamole stress echocardiography in silent ischemia after coronary artery bypass grafting and/or after healing of acute myocardial infarction; 640

Little women, Texas, small numbers and coronary artery bypass grafting; 739

On-line estimation of changes in left ventricular stroke volume by transesophageal echocardiographic automated border detection in patients undergoing coronary artery bypass grafting; 721

Outcome after acute myocardial infarction in patients with prior coronary artery bypass surgery; 507

Rehospitalizations after coronary revascularization among Medicare beneficiaries; 26

Usefulness of electrophysiologic studies for new-onset sustained ventricular tachyarrhythmias shortly after coronary artery bypass grafting; 1291

Coronary artery disease

A prospective randomized comparison of autodecremental pacing to burst pacing in device therapy for chronic ventricular tachycardia secondary to coronary artery disease; 1146

Alteration in regulation of myocardial blood flow in one-vessel coronary artery disease determined by positron emission tomography; 538

Comparative evaluation of bicycle and dobutamine stress echocardiography with perfusion scintigraphy and bicycle electrocardiogram for identification of coronary artery disease; 555

Comparison of dobutamine and exercise echocardiography for detecting coronary artery disease; 1226

Comparison of dobutamine stress echocardiography, dipyridamole stress echocardiography and exercise stress testing for diagnosis of coronary artery disease; 865

Comparison of electrophysiologic effects of quinidine and amiodarone in sustained ventricular tachyarrhythmias associated with coronary artery disease; 1389

Comparison of myocardial perfusion imaging with technetium-99m tetrofosmin versus thallium-201 in coronary artery disease; 1015

Comparison of regional myocardial blood flow in syndrome X and one-vessel coronary artery disease; 134

Comparison of the usefulness of the implantable cardioverter-defibrillator and subendocardial resection in patients with sustained ventricular arrhythmias and poor regional wall motion associated with coronary artery disease; 652

Differences in prevalence and extent of coronary artery calcium detected by Ultrafast computed tomography in asymptomatic men and women; 247

Dipyridamole thallium-201 imaging versus dobutamine echocardiography for the evaluation of coronary artery disease in patients unable to exercise; 1257

Effect of intravenous nitroglycerin on heparin dosage requirements in coronary artery disease; 393

Effect of restenosis at one previously dilated coronary site on the probability of restenosis at another previously dilated coronary site; 1107

Effects of long-term oral magnesium chloride replacement in congestive heart failure secondary to coronary artery disease; 1156

Epidemiology of silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project); 1383

Experience with three different third-generation cardioverter-defibrillators in patients with coronary artery disease or cardiomyopathy; 301

Frequency of presumed reentry with an excitable gap in sustained ventricular tachycardia unassociated with coronary artery disease; 916

How the exercise electrocardiogram is used in clinical practice in patients with suspected coronary artery disease; 763

Infrared thermography in the detection and management of coronary artery disease; 894

Initial clinical presentation of cardiac disease in asymptomatic men with silent myocardial ischemia and angiographically documented coronary artery disease (the Oslo Ischemia Study); 629

Insulin resistance, glucose intolerance, hyperinsulinemia and dyslipidemia in patients with angiographically demonstrated coronary arter disease; 458

Interrelation between angiographic severity of coronary artery disease and plasma levels of insulin, C-peptide and plasminogen activator inhibitor-1; 397

More on the diagonal earlobe crease as a marker of coronary artery disease; 861

Myocardial respiratory chain enzyme activities in idiopathic dilated cardiomyopathy, and comparison with those in atherosclerotic coronary artery disease and valvular aortic stenosis; 428

Noninvasive prediction of efficacy of type IA antiarrhythmic drugs by the signal-averaged electrocardiogram in patients with coronary artery disease and sustained ventricular tachycardia; 288

Oral amiodarone loading for the rapid treatment of frequent, refractory, sustained ventricular arrhythmias associated with coronary artery disease; 1395

Outcome with implantable cardioverter-defibrillator therapy for survivors of ventricular fibrillation secondary to idiopathic dilated cardiomyopathy or coronary artery disease without myocardial infarction; 911

Physician recognition of magnesium status in patients with coronary artery disease admitted to a regional medical center; 226

Quantitative severity of stress thallium-201 myocardial perfusion single-photon emission computed tomography defects in one-vessel coronary artery disease; 273

Radionuclide angiography for risk stratification of patients with coronary artery disease; 735

Regional myocardial blood flow in stable angina pectoris associated with isolated significant narrowing of either the left anterior descending or left circumflex coronary artery; 990

Relation of cardiovascular responses to mental stress and cardiac vagal activity in coronary artery disease; 551

Relation of coronary artery disease in women 60 years of age to the combined elevation of serum lipoprotein (a) and total cholesterol to high-density cholesterol ratio; 1215

Serum ferritin is not a risk factor for coronary artery disease in men and women aged ≥ 62 years; 347

Short-term heart rate variability and factors modifying the risk of coronary artery disease in a population sample; 897

Site of myocardial ischemia as a determinant of postexercise blood pressure and heart rate response in coronary artery disease; 1376

Technetium-99m teboroxime regional myocardial washout in subjects with and without coronary artery disease; 728

Usefulness of the response to intravenous procainamide during electrophysiologic study in predicting the response to oral quinidine in patients with inducible sustained monomorphic ventricular tachycardia associated with coronary artery disease; 908

Value of the electrocardiogram in diagnosing the number of severely narrowed coronary arteries in rest angina pectoris; 999

Coronary flow

Assessment of flow profile of left anterior descending coronary artery in hypertrophic cardiomyopathy by transesophageal pulsed Doppler echocardiography; 1425

Noninvasive assessment of coronary flow dynamics before and after coronary angioplasty using transesophageal Doppler; 1238

Noninvasive estimation of coronary flow reserve by transesophageal Doppler measurement of coronary sinus flow; 1334

Coronary obstruction

Prediction of the level of left anterior descending coronary artery obstruction during anterior wall acute myocardial infarction by the admission electrocardiogram; 823

Coronary ostial dimple

Coronary ostial dimple (in the posterior aortic sinus) in the absence of other coronary arterial abnormalities; 118

The case of a fascinating dimple; 102

Coronary sinus

Noninvasive estimation of coronary flow reserve by transesophageal Doppler measurement of coronary sinus flow; 1334

Creatine kinase

Angiographic predictors of a rise in serum creatine kinase (distal embolization) after balloon angioplasty of saphenous vein coronary artery bypass grafts; 514

Cyclosporine

Effects of acute administration of cyclosporine on levels of cardiovascular hormones in heart transplant recipients; 484

Renal, hemodynamic and neurohormonal effects of atrial natriuretic factor in cardiac allograft recipients treated with cyclosporin A; 1083

Death

Hypothetical death rates of patients with implantable defibrillators remain very hypothetical; 1453

Predicting death from progressive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy; 62

Death, sudden

Both aborted sudden cardiac death and end-stage phase in hypertrophic cardiomyopathy; 363

Comparison of QT dispersion in hypertrophic cardiomyopathy between patients with and without ventricular arrhythmias and sudden death; 973

Congestive heart failure, dilated cardiac ventricles, and sudden death in hyperthyroidism; 365

Gross and semiquantitative histologic findings in mononuclear cell myocarditis causing sudden death, and implications for endomyocardial biopsy; 952

Sudden death, right ventricular infarction, and abnormal right ventricular intramural coronary arteries in isolated congenital valvular pulmonic stenosis; 368

Diabetes mellitus

Information on type 1 diabetes mellitus and QT interval from identical twins; 305

Usefulness of plasma beta-endorphin level, pain threshold and autonomic function in assessing silent myocardial ischemia in patients with and without diabetes mellitus; 140

Digoxin

Effectiveness and costs of digoxin treatment for atrial fibrillation and flutter; 567

Effects of digoxin and enalapril on heart period variability and response to head-up tilt in normal subjects; 95

Diltiazem

Effects of amlodipine versus diltiazem on morning peak in myocardial ischemic activity in angina pectoris; 1203

Massive diltiazem overdose; 742

Dipyridamole

Digital dipyridamole stress echocardiography in silent ischemia after coronary artery bypass grafting and/or after healing of acute myocardial infarction; 640

Disseminated intravascular coagulation

Disseminated intravascular coagulation after administration of aprotinin in combination with deep hypothermic circulatory arrest; 1080

Dobutamine

Comparison of dobutamine and exercise echocardiography for detecting coronary artery disease; 1226

Dipyridamole thallium-201 imaging versus dobutamine echocardiography for the evaluation of coronary artery disease in patients unable to exercise; 1257

Predictive value of dobutamine echocardiography just before noncardiac vascular surgery; 602

Usefulness of dobutamine echocardiography for detecting restenosis after percutaneous transluminal coronary angioplasty; 1220

Doppler ultrasound

Accuracy of a new nongeometric pulsed Doppler method in cardiac output evaluation; 489

Assessment of flow profile of left anterior descending coronary artery in hypertrophic cardiomyopathy by transesophageal pulsed Doppler echocardiography; 1425

Noninvasive assessment of coronary flow dynamics before and after coronary angioplasty using transesophageal Doppler; 1238

Noninvasive estimation of coronary flow reserve by transesophageal Doppler measurement of coronary sinus flow; 1334

Use of Doppler-derived left ventricular time intervals for noninvasive assessment of systolic function; 1331

Which physical factors determine tricuspid regurgitation jet area in the clinical setting?; 1305

Ductus arteriosus

Non-thoracotomy closure of persistent ductus arteriosus beyond age 60 years; 1319

Earlobe crease

Earlobes, obesity and bias in observational studies; 861

More on the diagonal earlobe crease as a marker of coronary artery disease; 861

Ebstein's anomaly

Usefulness of prolonged prostaglandin infusion in neonates with Ebstein's anomaly; 1327

Echocardiography

Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists; 620

Assessment of left ventricular wall motion in angina pectoris by two-dimensional echocardiography and myocardial perfusion by technetium-99m sestamibi tomography during adenosine-induced coronary vasodilation and comparison with coronary angiography; 983

Comparative evaluation of bicycle and dobutamine stress echocardiography with perfusion scintigraphy and bicycle electrocardiogram for identification of coronary artery disease; 555

Comparison of dobutamine stress echocardiography, dipyridamole stress echocardiography and exercise stress testing for diagnosis of coronary artery disease; 865

Comparison of left ventricular function by echocardiographic automated border detection and by radionuclide ejection fraction; 810

Double-inlet ventricle in Chinese patients; 85

Left ventricular mass determined by transesophageal echocardiography and correlation with transthoracic echocardiography; 1085

Long-term echocardiographic follow-up of acromegalic heart disease; 205

Predictive value of dobutamine echocardiography just before noncardiac vascular surgery; 602

Pulmonary venous flow patterns assessed by transesophageal pulsed Doppler echocardiography in left atrial myxoma; 1089

Right and left ventricular area and function determined by two-dimensional echocardiography in adults with the Eisenmenger syndrome from a variety of congenital anomalies; 90

Transthoracic and transesophageal echocardiographic sizing of the aortic annulus to determine prosthesis size; 1411

Two-dimensional echocardiographic and color Doppler measurements of atrial septal defect, and comparison with the balloon-stretched diameter; 1095

Usefulness of intracardiac echocardiography in transseptal puncture during percutaneous transvenous mitral commissurotomy; 853

Value of the 12-lead electrocardiogram in arrhythmogenic right ventricular dysplasia, and absence of correlation with echocardiographic findings; 964

Echocardiography, transesophageal

Acute myocardial gray level intensity changes detected by transesophageal echocardiography during intraoperative ischemia; 465

Chemoprophylaxis before transesophageal echocardiography in patients with prosthetic or bioprosthetic cardiac valves; 115

Diagnostic accuracy of transesophageal echocardiography for detecting left atrial thrombi in patients with rheumatic heart disease having undergone mitral valve operations; 677

Effects of mitral stenosis on pulmonary venous flow as measured by Doppler transesophageal echocardiography; 66

Impact of transesophageal echocardiography on the anticoagulation management of patients admitted with focal cerebral ischemia; 707

On-line estimation of changes in left ventricular stroke volume by transesophageal echocardiographic automated border detection in patients undergoing coronary artery bypass grafting; 721

Physician use of transesophageal echocardiography varies with time after introduction into a hospital setting; 1330

Proper probe size for pediatric transesophageal echocardiography; 491

Quantitation of left ventricular volumes and ejection fraction by biplane transesophageal echocardiography; 356

Three-dimensional reconstruction of the descending thoracic aorta from transesophageal echocardiographic images; 1087

Transesophageal echocardiography during radiofrequency catheter ablation of ventricular tachycardia; 658

Transesophageal echocardiography in congenital submitral aneurysm; 481

Usefulness of biplane transesophageal echocardiography in neonates, infants and children with congenital heart disease; 699

Usefulness of pulmonary venous flow pattern and maximal mosaic jet area detected by transesophageal echocardiography in assessing the severity of mitral regurgitation; 1310

Usefulness of transesophageal echocardiography in unexplained cerebral ischemia; 1448

Usefulness of transesophageal echocardiography to screen for left atrial thrombus before elective cardioversion for atrial fibrillation; 1337

Edrophonium

Evaluation of edrophonium as a provocative agent for vasovagal syncope during head-up tilt-table testing; 1286

Eisenmenger syndrome

Right and left ventricular area and function determined by two-dimensional echocardiography in adults with the Eisenmenger syndrome from a variety of congenital anomalies; 90

Ejection fraction

Quantitation of left ventricular volumes and ejection fraction by biplane transesophageal echocardiography; 356

Elderly patients

Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study); 662

Rehospitalizations after coronary revascularization among Medicare beneficiaries; 26

Electrocardiography

A characteristic electrocardiographic pattern indicative of manifest left-sided posterior septal/paraseptal accessory atrioventricular connections; 471

Determinants of induction of ventricular tachycardia in nonsustained ventricular tachycardia after myocardial infarction and the usefulness of the signal-averaged electrocardiogram; 1281

Effects of thrombolysis and atenolol or metoprolol on the signal-averaged electrocardiogram after acute myocardial infarction; 525

How the exercise electrocardiogram is used in clinical practice in patients with suspected coronary artery disease; 763

Noninvasive prediction of efficacy of type IA antiarrhythmic drugs by the signal-averaged electrocardiogram in patients with coronary artery disease and sustained ventricular tachycardia; 288

Sensitivity in detecting drug-induced alterations in the PR interval: comparison of the surface electrocardiogram measured by a cardiologist versus routine automated computer analysis; 834

The 12-lead electrocardiogram in midseptal, anteroseptal, posteroseptal and right free wall accessory pathways; 1274

Usefulness of continuous ST monitoring in inferior wall acute myocardial infarction for describing the relation between precordial ST depression and inferior ST elevation; 532

Usefulness of signal-averaged electrocardiogram in idiopathic dilated cardiomyopathy for identifying patients with ventricular arrhythmias; 78

Value of the electrocardiogram in diagnosing the number of severely narrowed coronary arteries in rest angina pectoris; 999

Value of the 12-lead electrocardiogram in arrhythmogenic right ventricular dysplasia, and absence of correlation with echocardiographic findings; 964

Electropharmacologic studies

Serial electropharmacologic studies in patients with ischemic heart disease and sustained ventricular tachyarrhythmias: when is drug testing sufficient?; 1400

Electrophysiologic studies

Cardiac electrophysiologic effects of midazolam combined with fentanyl; 177

Usefulness of electrophysiologic studies for new-onset sustained ventricular tachyarrhythmias shortly after coronary artery bypass grafting; 1291

Embolisms

Fatal cor pulmonale caused by extensive tumor emboli in the small pulmonary arteries without emboli in the major pulmonary arteries or metastases in the pulmonary parenchyma; 233

Enalapril

Attenuation of left ventricular dilatation after acute myocardial infarction by early initiation of enalapril therapy; 1004

Effects of digoxin and enalapril on heart period variability and response to head-up tilt in normal subjects; 95

Effects of enalapril on the hyperinsulinemic response to severe salt restriction in obese young men with mild systemic hypertension; 53

Slowing of mitral valve annular calcium in systemic hypertension by nifedipine and comparisons with enalapril and atenolol; 1038

Endocarditis

Closure of hemodynamically insignificant ventricular septal defect after infective endocarditis; 1093

Effects of changes in management of active infective endocarditis on outcome in a 25-year period; 682

Frequency of ring abscess and cuspal infection in active infective endocarditis involving bioprosthetic valves; 314

Endothelin

Effect of percutaneous transluminal coronary angioplasty on circulating endothelin levels; 1352

Epidemiologic studies

Epidemiology of silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project); 1383

Epinephrine

Prognostic value of plasma atrial natriuretic factor, norepinephrine and epinephrine in acute myocardial infarction; 255

Ergometry

Asymptomatic and electrically silent myocardial ischemia during upright leg cycle ergometry and treadmill exercise (clandestine myocardial ischemia); 1114

Ergonovine

Ergonovine testing and forearm plethysmography in cocaine-related myocardial ischemia; 104

Estrogen replacement therapy

Frequency of oral estrogen replacement therapy in women with normal and abnormal exercise electrocardiograms and normal coronary arteries by angiogram; 1197

Exercise

Asymptomatic and electrically silent myocardial ischemia during upright leg cycle ergometry and treadmill exercise (clandestine myocardial ischemia); 1114

Cardiodynamic and neurohormonal importance of atrial contribution in rate-responsive pacing; 36

Cardiopulmonary performance at rest and exercise after repair of total anomalous pulmonary venous connection; 1444

Comparative evaluation of bicycle and dobutamine stress echocardiography with perfusion scintigraphy and bicycle electrocardiogram for identification of coronary artery disease; 555

Comparison of dobutamine and exercise echocardiography for detecting coronary artery disease; 1226

Comparison of dobutamine stress echocardiography, dipyridamole stress echocardiography and exercise stress testing for diagnosis of coronary artery disease; 865

Comparison of the Asymptomatic Cardiac Ischemia Pilot and modified Asymptomatic Cardiac Ischemia Pilot versus Bruce and Cornell exercise protocols; 715

Dipyridamole thallium-201 imaging versus dobutamine echocardiography for the evaluation of coronary artery disease in patients unable to exercise; 1257

Effects of propranolol and pindolol on cardiac output during extended periods of low-intensity physical activity; 1188

Effects of rate-smoothing function during treadmill exercise testing; 111

Effects of sublingual nitroglycerin on the gas exchange response to exercise in stable angina pectoris; 767

Frequency of oral estrogen replacement therapy in women with normal and abnormal exercise electrocardiograms and normal coronary arteries by angiogram; 1197

How the exercise electrocardiogram is used in clinical practice in patients with suspected coronary artery disease; 763

Improvement in exercise tolerance and immediate beta-adrenergic blockade with intranasal propranolol in patients with angina pectoris; 995

Interpretation of the exercise-induced ST-segment elevation; 100

Left ventricular systolic and diastolic function, and exercise capacity six to eight weeks after acute myocardial infarction; 149

Left ventricular volumes during exercise in normal subjects and patients with dilated cardiomyopathy assessed by first-pass radionuclide angiography; 1167

Prevalence and significance of transient—predominantly asymptomatic—myocardial ischemia on Holter monitoring in unstable angina pectoris, and correlation with exercise test and thallium-201 myocardial perfusion imaging; 144

Prognostic implications of normal exercise SPECT thallium images in patients with strongly positive exercise electrocardiograms; 1201

Prognostic value of ischemia during Holter monitoring and exercise testing after acute myocardial infarction; 8

Therapeutic significance of exercise-induced ST-segment elevation in patients without previous myocardial infarction; 1

Time course of hemodynamic changes and improvement of exercise tolerance after cardioversion of chronic atrial fibrillation unassociated with cardiac valve disease; 560

Usefulness of Holter monitoring for detecting myocardial ischemia in patients with nondiagnostic exercise treadmill test; 889

Usefulness of transesophageal pacing during exercise for evaluating palpitations in top-level athletes; 922

Famotidine

Effects of histamine type 2-receptor antagonists cimetidine and famotidine on left ventricular systolic function in chronic congestive heart failure; 1163

Felodipine

Comparison of effects of felodipine versus hydrochlorothiazide on arterial diameter and pulse-wave velocity in essential hypertension; 794

Fentanyl

Cardiac electrophysiologic effects of midazolam combined with fentanyl; 177

Ferritin

Serum ferritin is not a risk factor for coronary artery disease in men and women aged ≥ 62 years; 347

Fontan operation

Magnetic resonance imaging of constant total heart volume and center of mass in patients with functional single ventricle before and after staged Fontan procedure; 1435

Fosinopril

Disparate cardiovascular response to stress tests during isradipine and fosinopril therapy; 574

Framingham Heart Study

Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study); 662

Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study); 1183

Triglycerides, high-density lipoproteins and the Framingham Heart Study; 371

Free radicals
Heightened free radical activity in angina pectoris; 830

From the Editor
Getting cardiologists interested in lipids; 744
The best hospitals in the USA for patients with heart disease; 626

Glucose
Insulin resistance, glucose intolerance, hyperinsulinemia and dyslipidemia in patients with angiographically demonstrated coronary arter disease; 458
Regional systolic function, myocardial blood flow and glucose uptake at rest in hypertrophic cardiomyopathy; 199

Granular cell tumor
Granular cell tumor with symptomatic cardiac involvement can be malignant or benign; 862

Head-up tilt
Effects of digoxin and enalapril on heart period variability and response to head-up tilt in normal subjects; 95

Healthy subjects
Comparison of efficacy of low molecular weight heparin (parnaparin) with that of unfractionated heparin in the presence of activated platelets in healthy subjects; 450
Effects of digoxin and enalapril on heart period variability and response to head-up tilt in normal subjects; 95
Left ventricular volumes during exercise in normal subjects and patients with dilated cardiomyopathy assessed by first-pass radionuclide angiography; 1167
Superior vena cava and hepatic vein velocity patterns in normal children; 238

Heart block
Hemoperfusion during right coronary artery angioplasty causing high-grade heart block; 828
Sensitivity in detecting drug-induced alterations in the PR interval: comparison of the surface electrocardiogram measured by a cardiologist versus routine automated computer analysis; 834

Heart disease
Diagnostic accuracy of transesophageal echocardiography for detecting left atrial thrombi in patients with rheumatic heart disease having undergone mitral valve operations; 677
Spa therapy for heart disease Bad Nauheim (circa 1900); 336
Systolic flow velocity profile in the left ventricular outflow tract in persons free of heart disease; 1172

Heart failure
Impact of left ventricular cavity size on survival in advanced heart failure; 672
Predicting death from progressive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy; 62

Heart rate
Components of heart rate variability—what they really mean and what we really measure; 821
Disorders of the heartbeat: a historical overview from antiquity to the mid-20th century; 1055
Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study); 1183
Preserved walking-induced cardioacceleration in the elderly despite reduced heart rate response to standing; 1077
Relation of cardiovascular responses to mental stress and cardiac vagal activity in coronary artery disease; 551
Responses of heart rate variability to coronary occlusion during coronary angioplasty; 1026
Short-term heart rate variability and factors modifying the risk of coronary artery disease in a population sample; 897
Site of myocardial ischemia as a determinant of postexercise blood pressure and heart rate response in coronary artery disease; 1376

Heart volume
Magnetic resonance imaging of constant total heart volume and center of mass in patients with functional single ventricle before and after staged Fontan procedure; 1435

Hemodynamics
Noninvasive computerized assessment of left ventricular performance and systemic hemodynamics by study of aortic root pressure and flow estimates in healthy men, and men with acute and healed myocardial infarction; 260
Rate-dependent hemodynamic responses during incremental atrial pacing in chronic constrictive pericarditis before and after surgery; 615
Time course of hemodynamic changes and improvement of exercise tolerance after cardioversion of chronic atrial fibrillation unassociated with cardiac valve disease; 560

Hemostasis
A new hemostatic puncture closure device for the immediate sealing of arterial puncture sites; 445
Lack of usefulness of prolonged bleeding times in predicting hemorrhagic events in patients receiving the 7E3 glycoprotein IIb/IIIa platelet antibody; 1121

Heparin
Comparison of efficacy of low molecular weight heparin (parnaparin) with that of unfractionated heparin in the presence of activated platelets in healthy subjects; 450
Effect of intravenous nitroglycerin on heparin dosage requirements in coronary artery disease; 393
Impact of tissue plasminogen activator and heparin versus heparin alone on quantitative coronary angiographic findings in myocardial infarction; 379

Heterotaxy syndrome
Radiofrequency ablation of accessory pathways associated with congenital heart disease including heterotaxy syndrome; 689

Hirulog
Usefulness and tolerability of hirulog, a direct thrombin-inhibitor, in unstable angina pectoris; 1359

Holter monitoring
Prevalence and significance of transient—predominantly asymptomatic—myocardial ischemia on Holter monitoring in unstable angina pectoris, and correlation with exercise test and thallium-201 myocardial perfusion imaging; 144
Usefulness of Holter monitoring for detecting myocardial ischemia in patients with nondiagnostic exercise treadmill test; 889

Hormones
Acute and delayed hormonal changes in mitral stenosis treated by balloon valvulotomy; 932

Hydrochlorothiazide
Comparison of effects of felodipine versus hydrochlorothiazide on arterial diameter and pulse-wave velocity in essential hypertension; 794

Hydrogen inhalation
Hydrogen inhalation for detecting intracardiac left-to-right shunting in adults; 711

Hypercholesterolemia
Diagnosing heterozygous familial hypercholesterolemia using new practical criteria validated by molecular genetics; 171
Elevated plasma lipoprotein(a) associated with abnormal stress thallium scans in children with familial hypercholesterolemia; 402

Hyperlipidemia
Comparative effects of atenolol versus celiprolol on serum lipids and blood pressure in hyperlipidemic and hypertensive subjects; 1131

Hypertension
Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists; 620
Cardiac adaptation to increased systemic blood pressure in borderline hypertensive men; 407
Comparative effects of atenolol versus celiprolol on serum lipids and blood pressure in hyperlipidemic and hypertensive subjects; 1131
Comparison of bisoprolol with atenolol for systemic hypertension in four population groups (young, old, black and nonblack) using ambulatory blood pressure monitoring; 41
Comparison of effects of felodipine versus hydrochlorothiazide on arterial diameter and pulse-wave velocity in essential hypertension; 794
Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study); 662

Effects of enalapril on the hyperinsulinemic response to severe salt restriction in obese young men with mild systemic hypertension; 53

Effects of nadolol on hemodynamic and hemostatic responses to potential mental and physical triggers of myocardial infarction in subjects with mild systemic hypertension; 47

Effects of sustained-release isradipine on left ventricular anatomy and function in systemic hypertension; 1301

Sex differences in cardiac adaptation to isolated systolic hypertension; 310

Slowing of mitral valve annular calcium in systemic hypertension by nifedipine and comparisons with enalapril and atenolol; 1038

Usefulness of piretanide plus ramipril for systemic hypertension: a multicenter trial; 666

Usefulness of simultaneous ambulatory electrocardiographic and blood pressure monitoring in detecting myocardial ischemia in patients 70 years of age with systemic hypertension; 927

Hyperthyroidism

Congestive heart failure, dilated cardiac ventricles, and sudden death in hyperthyroidism; 365

Hyperventilation

Suppression of hyperventilation-induced attacks with infusion of atrial natriuretic peptide in patients with variant angina pectoris; 128

Immunosuppressive therapy

Expression of intercellular adhesion molecule-1 on cardiac myocytes for myocarditis before and during immunosuppressive therapy; 441

Impedance

Variability of cardiac output as determined by impedance cardiography in pacemaker patients; 183

In memoriam

In memoriam David H. Blankenhorn, MD, 1924–1993; 1098

Infections

Frequency of ring abscess and cuspal infection in active infective endocarditis involving bioprosthetic valves; 314

Insulin

Interrelation between angiographic severity of coronary artery disease and plasma levels of insulin, C-peptide and plasminogen activator inhibitor-1; 397

Intercellular adhesion molecule

Expression of intercellular adhesion molecule-1 on cardiac myocytes for myocarditis before and during immunosuppressive therapy; 441

Intracardiac shunting

Hydrogen inhalation for detecting intracardiac left-to-right shunting in adults; 711

Ischemia

Acute myocardial gray level intensity changes detected by transesophageal echocardiography during intraoperative ischemia; 465

Anger report predicts coronary artery vasomotor response to mental stress in atherosclerotic segments; 1361

Development of angina pectoris pain and cardiac events in asymptomatic patients with myocardial ischemia; 121

Digital dipyridamole stress echocardiography in silent ischemia after coronary artery bypass grafting and/or after healing of acute myocardial infarction; 640

Ergonovine testing and forearm plethysmography in cocaine-related myocardial ischemia; 104

Predicting death from progressive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy; 62

Prevalence and significance of transient—predominantly asymptomatic—myocardial ischemia on Holter monitoring in unstable angina pectoris, and correlation with exercise test and thallium-201 myocardial perfusion imaging; 144

Prognostic value of ischemia during Holter monitoring and exercise testing after acute myocardial infarction; 8

Serial electropharmacologic studies in patients with ischemic heart disease and sustained ventricular tachyarrhythmias: when is drug testing sufficient?; 1400

Usefulness of plasma beta-endorphin level, pain threshold and autonomic function in assessing silent myocardial ischemia in patients with and without diabetes mellitus; 140

Ischemia, cerebral

Usefulness of transesophageal echocardiography in unexplained cerebral ischemia; 1448

Isosorbide-5-mononitrate

Eccentric dosing with isosorbide-5-mononitrate in angina pectoris; 871

Isradipine

Disparate cardiovascular response to stress tests during isradipine and fosinopril therapy; 574

Effects of sustained-release isradipine on left ventricular anatomy and function in systemic hypertension; 1301

Kallikrein

Beneficial effects of a serine protease inhibitor in peripheral vascular disease; 218

Left ventricular dilation

Attenuation of left ventricular dilatation after acute myocardial infarction by early initiation of enalapril therapy; 1004

Impact of left ventricular cavity size on survival in advanced heart failure; 672

Left ventricular filling

Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study); 1183

Wall motion asynchrony is a major determinant of impaired left ventricular filling in patients with healed myocardial infarction; 268

Left ventricular function

A difference between front-loaded streptokinase and standard-dose recombinant tissue-type plasminogen activator in preserving left ventricular function after acute myocardial infarction (the Central Illinois Thrombolytic Therapy Study); 1010

Comparison of left ventricular function by echocardiographic automated border detection and by radionuclide ejection fraction; 810

Effects of chronic right ventricular pressure overload on left ventricular diastolic function; 1179

Effects of histamine type 2-receptor antagonists cimetidine and famotidine on left ventricular systolic function in chronic congestive heart failure; 1163

Effects of sustained-release isradipine on left ventricular anatomy and function in systemic hypertension; 1301

Improvement in left ventricular function by ablation of atrioventricular nodal conduction in selected patients with lone atrial fibrillation; 1137

Influence of left ventricular function on survival and mode of death after implantable defibrillator therapy (Cleveland Clinic Foundation and Montefiore Medical Center Experience); 1263

Left ventricular systolic and diastolic function, and exercise capacity six to eight weeks after acute myocardial infarction; 149

Left ventricular volumes during exercise in normal subjects and patients with dilated cardiomyopathy assessed by first-pass radionuclide angiography; 1167

Noninvasive computerized assessment of left ventricular performance and systemic hemodynamics by study of aortic root pressure and flow estimates in healthy men, and men with acute and healed myocardial infarction; 260

On-line estimation of changes in left ventricular stroke volume by transesophageal echocardiographic automated border detection in patients undergoing coronary artery bypass grafting; 721

On-line quantification of left ventricular function by automatic boundary detection and ultrasonic backscatter imaging; 359

Relation of left ventricular function to habitual alcohol consumption; 1418

Left ventricular hypertrophy

Regional thallium-201 washout and myocardial hypertrophy in hypertrophic cardiomyopathy and its relation to exertional chest pain; 211

Left ventricular mass

Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists; 620

Left ventricular mass determined by transesophageal echocardiography and correlation with transthoracic echocardiography; 1085

Left ventricular morphology

Dynamic geometry during systole in normally functioning left ventricles based on three-dimensional studies with technetium-99m isonitrile scans; 235

Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study); 662

Left ventricular outflow tract

Systolic flow velocity profile in the left ventricular outflow tract in persons free of heart disease; 1172

Left ventricular wall thickness

Absence of left ventricular wall thickening in athletes engaged in intense power training; 1048

Menopause-induced changes in left ventricular wall thickness; 240

Lipoproteins

Elevated plasma lipoprotein(a) associated with abnormal stress thallium scans in children with familial hypercholesterolemia; 402

Plasma lipoproteins are not related to restenosis after successful coronary angioplasty; 1206

Relation of coronary artery disease in women 60 years of age to the combined elevation of serum lipoprotein (a) and total cholesterol to high-density cholesterol ratio; 1215

Serum lipoprotein (a) as a risk factor for thoracic aortic atherosclerosis in subjects aged 40 years; 227

The rapid reduction in cardiac events with lipid-lowering therapy: mechanisms and implications; 1072

Magnesium

Effects of long-term oral magnesium chloride replacement in congestive heart failure secondary to coronary artery disease; 1156

Physician recognition of magnesium status in patients with coronary artery disease admitted to a regional medical center; 226

Magnetic resonance imaging

Magnetic resonance imaging of constant total heart volume and center of mass in patients with functional single ventricle before and after staged Fontan procedure; 1435

Medical devices

Improvisation in implantable medical devices: a Gordian knot; 816

Menopause

Menopause-induced changes in left ventricular wall thickness; 240

Metoprolol

Comparison of the effects of amiodarone versus metoprolol on the frequency of ventricular arrhythmias and on mortality after acute myocardial infarction; 1243

Effects of thrombolysis and atenolol or metoprolol on the signal-averaged electrocardiogram after acute myocardial infarction; 525

Midazolam

Cardiac electrophysiologic effects of midazolam combined with fentanyl; 177

Mitral commissurotomy

Usefulness of intracardiac echocardiography in transseptal puncture during percutaneous transvenous mitral commissurotomy; 853

Mitral regurgitation

Mitral regurgitation associated with reduced thromboembolic events in high-risk patients with nonrheumatic atrial fibrillation; 840

On the mechanism of functional mitral regurgitation; 1074

Usefulness of pulmonary venous flow pattern and maximal mosaic jet area detected by transesophageal echocardiography in assessing the severity of mitral regurgitation; 1310

Mitral stenosis

Acute and delayed hormonal changes in mitral stenosis treated by balloon valvulotomy; 932

Effects of mitral stenosis on pulmonary venous flow as measured by Doppler transesophageal echocardiography; 66

Mitral valve

Clinical and morphologic features of mitral valve prolapse in octogenarians; 1316

Diagnostic accuracy of transesophageal echocardiography for detecting left atrial thrombi in patients with rheumatic heart disease having undergone mitral valve operations; 677

Prevalence and clinical significance of mild paraprosthetic ring leaks and left atrial spontaneous echo contrast detected on transesophageal echocardiography three months after isolated mitral valve replacement with a mechanical prosthesis; 848

Slowing of mitral valve annular calcium in systemic hypertension by nifedipine and comparisons with enalapril and atenolol; 1038

Mitral valvotomy

Balloon mitral valvotomy for rheumatic mitral stenosis in children aged $\leq$ 12 years; 850

Results of percutaneous balloon mitral valvotomy in young adults; 73

Mitral valvuloplasty

Percutaneous mitral valvuloplasty with severe pulmonary artery hypertension; 325

Molecular genetics

Diagnosing heterozygous familial hypercholesterolemia using new practical criteria validated by molecular genetics; 171

Monoclonal antibodies

Lack of usefulness of prolonged bleeding times in predicting hemorrhagic events in patients receiving the 7E3 glycoprotein IIb/IIIa platelet antibody; 1121

Mortality

Cholesterol lowering, low cholesterol, and mortality; 776

Comparison of mortality in patients treated with propafenone to those treated with a variety of antiarrhythmic drugs for supraventricular arrhythmias; 108

Comparison of the effects of amiodarone versus metoprolol on the frequency of ventricular arrhythmias and on mortality after acute myocardial infarction; 1243

Hospital mortality in acute myocardial infarction in the era of reperfusion therapy (the myocardial infarction triage and intervention project); 877

Influence of left ventricular function on survival and mode of death after implantable defibrillator therapy (Cleveland Clinic Foundation and Montefiore Medical Center Experience); 1263

Myocardial infarction

A difference between front-loaded streptokinase and standard-dose recombinant tissue-type plasminogen activator in preserving left ventricular function after acute myocardial infarction (the Central Illinois Thrombolytic Therapy Study); 1010

An inappropriate article; 628

Attenuation of left ventricular dilatation after acute myocardial infarction by early initiation of enalapril therapy; 1004

Characteristics of patients with nonfatal cardiac arrest 3 to 180 days after acute myocardial infarction; 753

Clinical and angiographic correlates of in-hospital death after percutaneous transluminal coronary angioplasty for conditions other than acute myocardial infarction; 826

Clinical and angiographic prediction of myocardial infarction and recurrence of severe angina during a five-year follow-up after coronary artery bypass grafting; 1371

Comparison of results of coronary angioplasty during acute myocardial infarction with and without previous coronary bypass surgery; 1348

Comparison of the effects of amiodarone versus metoprolol on the frequency of ventricular arrhythmias and on mortality after acute myocardial infarction; 1243

Determinants of induction of ventricular tachycardia in nonsustained ventricular tachycardia after myocardial infarction and the usefulness of the signal-averaged electrocardiogram; 1281

Digital dipyridamole stress echocardiography in silent ischemia after coronary artery bypass grafting and/or after healing of acute myocardial infarction; 640

Disturbance of pulmonary gas exchange in patients with acute myocardial infarction-associated pericardial effusion; 162

Economic evaluation of cardiac rehabilitation soon after acute myocardial infarction; 154

Effect of cigarette smoking on coronary patency after thrombolytic therapy for myocardial infarction; 373

Effects of nadolol on hemodynamic and hemostatic responses to potential mental and physical triggers of myocardial infarction in subjects with mild systemic hypertension; 47

Effects of orthostatic stress on peripheral capillary filtration in mild congestive heart failure after healing of myocardial infarction; 418

Effects of streptokinase during acute myocardial infarction on the signal-averaged electrocardiogram and on the frequency of late arrhythmias; 647

Effects of thrombolysis and atenolol or metoprolol on the signal-averaged electrocardiogram after acute myocardial infarction; 525

Hospital mortality in acute myocardial infarction in the era of reperfusion therapy (the myocardial infarction triage and intervention project); 877

Immediate and long-term prognostic significance of a first anterior versus first inferior wall Q-wave acute myocardial infarction; 1366

Impact of tissue plasminogen activator and heparin versus heparin alone on quantitative coronary angiographic findings in myocardial infarction; 379

Influence of transdermal scopolamine on cardiac sympathovagal interaction after acute myocardial infarction; 384

Is the site of maximal coronary artery narrowing the culprit for future myocardial infarction?; 861

Late outcome after percutaneous transluminal coronary angioplasty during acute myocardial infarction; 634

Left ventricular systolic and diastolic function, and exercise capacity six to eight weeks after acute myocardial infarction; 149

Noninvasive computerized assessment of left ventricular performance and systemic hemodynamics by study of aortic root pressure and flow estimates in healthy men, and men with acute and healed myocardial infarction; 260

Open, noncontrolled dose-finding study with a novel recombinant plasminogen activator (BM 06.022) given as a double bolus in patients with acute myocardial infarction; 518

Outcome after acute myocardial infarction in patients with prior coronary artery bypass surgery; 507

Polymorphous ventricular tachycardia early after acute myocardial infarction; 863

Prediction of the level of left anterior descending coronary artery obstruction during anterior wall acute myocardial infarction by the admission electrocardiogram; 823

Predictors and long-term prognostic significance of recurrent infarction in the year after a first myocardial infarction; 883

Prognosis of patients with an isolated fixed Thallium-201 defect and no prior myocardial infarction; 1199

Prognostic significance of second-degree atrioventricular block in inferior wall acute myocardial infarction; 831

Prognostic value of ischemia during Holter monitoring and exercise testing after acute myocardial infarction; 8

Prognostic value of plasma atrial natriuretic factor, norepinephrine and epinephrine in acute myocardial infarction; 255

Reply; 628

Right ventricular dilatation and remodeling the first year after an initial transmural wall left ventricular myocardial infarction; 1126

Secondary prevention after acute myocardial infarction; 759

Study of myocardial infarct remodeling by single-photon emission computed tomographic imaging; 747

Therapeutic significance of exercise-induced ST-segment elevation in patients without previous myocardial infarction; 1

Usefulness of continuous ST monitoring in inferior wall acute myocardial infarction for describing the relation between precordial ST depression and inferior ST elevation; 532

Value of clinical variables for risk stratification in patients with sustained ventricular tachycardia and history of myocardial infarction; 349

Wall motion asynchrony is a major determinant of impaired left ventricular filling in patients with healed myocardial infarction; 268

Myocardial Infarction Triage and Intervention project

Hospital mortality in acute myocardial infarction in the era of reperfusion therapy (the myocardial infarction triage and intervention project); 877

Myocardial Ischemia

Asymptomatic and electrically silent myocardial ischemia during upright leg cycle ergometry and treadmill exercise (clandestine myocardial ischemia); 1114

Effects of amlodipine versus diltiazem on morning peak in myocardial ischemic activity in angina pectoris; 1203

Epidemiology of silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project); 1383

Initial clinical presentation of cardiac disease in asymptomatic men with silent myocardial ischemia and angiographically documented coronary artery disease (the Oslo Ischemia Study); 629

Site of myocardial ischemia as a determinant of postexercise blood pressure and heart rate response in coronary artery disease; 1376

Usefulness of Holter monitoring for detecting myocardial ischemia in patients with nondiagnostic exercise treadmill test; 889

Usefulness of simultaneous ambulatory electrocardiographic and blood pressure monitoring in detecting myocardial ischemia in patients 70 years of age with systemic hypertension; 927

Myocardial perfusion

Comparison of myocardial perfusion imaging with technetium-99m tetrofosmin versus thallium-201 in coronary artery disease; 1015

Myocarditis

Expression of intercellular adhesion molecule-1 on cardiac myocytes for myocarditis before and during immunosuppressive therapy; 441

Gross and semiquantitative histologic findings in mononuclear cell myocarditis causing sudden death, and implications for endomyocardial biopsy; 952

Myxoma

Are autopsies still useful? Thank goodness we didn't know. Not all tumors are bad tumors. Most of the cavity has to be filled before trouble occurs; 371

Pulmonary venous flow patterns assessed by transesophageal pulsed Doppler echocardiography in left atrial myxoma; 1089

Nadolol

Effects of nadolol on hemodynamic and hemostatic responses to potential mental and physical triggers of myocardial infarction in subjects with mild systemic hypertension; 47

Natriuretic peptide

Prognostic value of plasma atrial natriuretic factor, norepinephrine and epinephrine in acute myocardial infarction; 255

Neonates

Usefulness of prolonged prostaglandin infusion in neonates with Ebstein's anomaly; 1327

Nifedipine

Comparison of single-dose nifedipine and captopril for chronic severe aortic regurgitation; 799

Slowing of mitral valve annular calcium in systemic hypertension by nifedipine and comparisons with enalapril and atenolol; 1038

Nitrates

The paradox of nitrates in patients with angina pectoris and angiographically normal coronary arteries; 343

Nitroglycerin

Effect of intravenous nitroglycerin on heparin dosage requirements in coronary artery disease; 393

Effects of sublingual nitroglycerin on the gas exchange response to exercise in stable angina pectoris; 767

Noninvasive testing

The impact of selection bias on measurement of noninvasive test accuracy; 223

Norepinephrine

Prognostic value of plasma atrial natriuretic factor, norepinephrine and epinephrine in acute myocardial infarction; 255

Obesity

Earlobes, obesity and bias in observational studies; 861

Effects of enalapril on the hyperinsulinemic response to severe salt restriction in obese young men with mild systemic hypertension; 53

Oslo Ischemia Study

Initial clinical presentation of cardiac disease in asymptomatic men with silent myocardial ischemia and angiographically documented coronary artery disease (the Oslo Ischemia Study); 629

Pacing

A prospective randomized comparison of autodecremental pacing to burst pacing in device therapy for chronic ventricular tachycardia secondary to coronary artery disease; 1146

Cardiodynamic and neurohormonal importance of atrial contribution in rate-responsive pacing; 36

Follow-up of asystolic episodes in patients with cardioinhibitory, neurally mediated syncope and VI pacemaker; 1152

Prognostic significance and the role of dual-chamber pacing in atrioventricular delay in idiopathic dilated cardiomyopathy; 864

Rate-dependent hemodynamic responses during incremental atrial pacing in chronic constrictive pericarditis before and after surgery; 615

Usefulness of transesophageal pacing during exercise for evaluating palpitations in top-level athletes; 922

Variability of cardiac output as determined by impedance cardiography in pacemaker patients; 183

Pain

Absence of adenosine-induced chest pain after total cardiac afferent denervation; 483

Development of angina pectoris pain and cardiac events in asymptomatic patients with myocardial ischemia; 121

Regional thallium-201 washout and myocardial hypertrophy in hypertrophic cardiomyopathy and its relation to exertional chest pain; 211

Patent ductus arteriosus

Transcatheter occlusion of patent ductus arteriosus in adults; 591

Tricuspid valve regurgitation as a complication of pulmonary balloon valvuloplasty or transcatheter closure of patent ductus arteriosus in children $\leq$4 years of age; 976

Patent foramen ovale

Relation between patent foramen ovale and stroke; 863

Pericardial effusion

Disturbance of pulmonary gas exchange in patients with acute myocardial infarction-associated pericardial effusion; 162

Pericardiotomy

Mechanism of pericardial window creation by balloon pericardiotomy; 1321

Pericarditis

Rate-dependent hemodynamic responses during incremental atrial pacing in chronic constrictive pericarditis before and after surgery; 615

Peripheral vascular disease

Beneficial effects of a serine protease inhibitor in peripheral vascular disease; 218

Pindolol

Effects of propranolol and pindolol on cardiac output during extended periods of low-intensity physical activity; 1188

Piretanide

Usefulness of piretanide plus ramipril for systemic hypertension: a multicenter trial; 666

Plasminogen activator inhibitor

Interrelation between angiographic severity of coronary artery disease and plasma levels of insulin, C-peptide and plasminogen activator inhibitor-1; 397

Platelets

Comparison of efficacy of low molecular weight heparin (parnaparin) with that of unfractionated heparin in the presence of activated platelets in healthy subjects; 450

Effects of cocaine on human platelets in healthy subjects; 243

Lack of usefulness of prolonged bleeding times in predicting hemorrhagic events in patients receiving the 7E3 glycoprotein IIb/IIIa platelet antibody; 1121

Polycystic kidney disease

Familiar clustering of aortic dissection in polycystic kidney disease; 741

Positron emission tomography

Alteration in regulation of myocardial blood flow in one-vessel coronary artery disease determined by positron emission tomography; 538

Pravastatin

Design and recruitment in the United States of a multicenter quantitative angiographic trial of pravastatin to limit atherosclerosis in the coronary arteries (PLAC I); 31

Effects of pravastatin in patients with serum total cholesterol levels from 5.2 to 7.8 mmol/liter (200 to 300 mg/dl) plus two additional atherosclerotic risk factors; 1031

The rapid reduction in cardiac events with lipid-lowering therapy: mechanisms and implications; 1072

Pregnancy

Effect of pregnancy on paroxysmal supraventricular tachycardia; 838

Pressure monitoring

Percutaneous transluminal coronary angioplasty catheters versus fluid-filled pressure monitoring guidewires for coronary pressure measurements and correlation with quantitative coronary angiography; 1101

Procainamide

Usefulness of the response to intravenous procainamide during electrophysiologic study in predicting the response to oral quinidine in patients with inducible sustained monomorphic ventricular tachycardia associated with coronary artery disease; 908

Prognosis

Angiographic predictors of a rise in serum creatine kinase (distal embolization) after balloon angioplasty of saphenous vein coronary artery bypass grafts; 514

Angiographic predictors of recurrence of restenosis after Wiktor stent implantation in native coronary arteries; 165

Clinical and angiographic prediction of myocardial infarction and recurrence of severe angina during a five-year follow-up after coronary artery bypass grafting; 1371

Clinical and angiographic predictors of immediate recoil after successful coronary angioplasty and relation to late restenosis; 1020

Clinical factors useful in predicting aortic valve structure in patients 40 years of age with isolated valvular aortic stenosis; 194

Immediate and long-term prognostic significance of a first anterior versus first inferior wall Q-wave acute myocardial infarction; 1366

Predictive value of dobutamine echocardiography just before noncardiac vascular surgery; 602

Predictors and long-term prognostic significance of recurrent infarction in the year after a first myocardial infarction; 883

Prognosis in hypertrophic cardiomyopathy observed in a large clinic population; 939

Prognosis of patients with an isolated fixed Thallium-201 defect and no prior myocardial infarction; 1199

Prognostic implications of normal exercise SPECT thallium images in patients with strongly positive exercise electrocardiograms; 1201

Prognostic significance of second-degree atrioventricular block in inferior wall acute myocardial infarction; 831

Prognostic value of ischemia during Holter monitoring and exercise testing after acute myocardial infarction; 8

Propafenone

Comparison of mortality in patients treated with propafenone to those treated with a variety of antiarrhythmic drugs for supraventricular arrhythmias; 108

Oral propafenone as treatment for incessant supraventricular and ventricular tachycardia in children; 1213

Usefulness of propafenone for supraventricular arrhythmias in infants and children; 294

Propranolol

Effects of propranolol and pindolol on cardiac output during extended periods of low-intensity physical activity; 1188

Improvement in exercise tolerance and immediate beta-adrenergic blockade with intranasal propranolol in patients with angina pectoris; 995

Prostacyclin

Systemic but not renal production of prostacyclin is highly reduced in cyclosporin-treated heart transplant recipients; 486

Prostaglandin

Usefulness of prolonged prostaglandin infusion in neonates with Ebstein's anomaly; 1327

Prostheses

Chemoprophylaxis before transesophageal echocardiography in patients with prosthetic or bioprosthetic cardiac valves; 115

Frequency of ring abscess and cuspal infection in active infective endocarditis involving bioprosthetic valves; 314

Long-term echocardiographic Doppler monitoring of Hancock bioprostheses in the aortic valve position; 231

Transthoracic and transesophageal echocardiographic sizing of the aortic annulus to determine prosthesis size; 1411

Pulmonary atresia

Ventriculo-coronary arterial connections in pulmonary atresia with intact ventricular septum, and their influences on ventricular performance and clinical course; 586

Pulmonary hypertension
Percutaneous mitral valvuloplasty with severe pulmonary artery hypertension; 325

Pulmonary valve disease
Blood cyst of the pulmonary valve causing pulmonic valve stenosis; 493

Pulmonary venous connection
Cardiopulmonary performance at rest and exercise after repair of total anomalous pulmonary venous connection; 1444

Q wave
Immediate and long-term prognostic significance of a first anterior versus first inferior wall Q-wave acute myocardial infarction; 1366

QT interval
Information on type 1 diabetes mellitus and QT interval from identical twins; 305

Quinidine
Comparison of electrophysiologic effects of quinidine and amiodarone in sustained ventricular tachyarrhythmias associated with coronary artery disease; 1389
Usefulness of the response to intravenous procainamide during electrophysiologic study in predicting the response to oral quinidine in patients with inducible sustained monomorphic ventricular tachycardia associated with coronary artery disease; 908

Radiation exposure
Radiation exposure from percutaneous transluminal coronary angioplasty; 746

Radiofrequency ablation
A randomized comparison of the right- and left-sided approaches to ablation of the atrioventricular junction; 1406
Design and clinical application of a low-pass input filter for the evaluation of intracardiac electrograms during radiofrequency catheter ablation; 113
Early recurrence of accessory pathways after radiofrequency catheter ablation does not preclude long-term cure; 843
Effectiveness of radiofrequency catheter ablation for treatment of atrial tachycardia; 787
Evaluation of an abbreviated protocol for catheter ablation of left free wall accessory pathways; 836
Low-energy ablation of accessory pathways in cases for which the radiofrequency approach had failed; 1211
Radiofrequency ablation of accessory pathways associated with congenital heart disease including heterotaxy syndrome; 689
Radiofrequency catheter ablation of accessory pathway during entrainment of the atrioventricular reciprocating tachycardia; 188
Safety and cost of outpatient radiofrequency ablation of the slow pathway in patients with atrioventricular nodal reentrant tachycardia; 1323
Transesophageal echocardiography during radiofrequency catheter ablation of ventricular tachycardia; 658

Radionuclide imaging
Comparison of left ventricular function by echocardiographic automated border detection and by radionuclide ejection fraction; 810
Radionuclide angiography for risk stratification of patients with coronary artery disease; 735

Ramipril
Usefulness of piretanide plus ramipril for systemic hypertension: a multicenter trial; 666

Readers' Comments
An inappropriate article; 628
Are autopsies still useful? Thank goodness we didn't know. Not all tumors are bad tumors. Most of the cavity has to be filled before trouble occurs; 371
Earlobes, obesity and bias in observational studies; 861
Effects of coronary stenosis severity on variability of quantitative angiography; 495
Granular cell tumor with symptomatic cardiac involvement can be malignant or benign; 862
Great expectations and disappointment with laser angioplasty; 372
Improved methods for intracoronary Doppler flow velocity; 1456
Inclusion of reviewer's comments—an interesting approach; 1457
Is the site of maximal coronary artery narrowing the culprit for future myocardial infarction?; 861
Lytic lament; 863
Misplacements involving the ground (right leg) electrode; 1457
More on the diagonal earlobe crease as a marker of coronary artery disease; 861
Nonsurgical treatment of membranous obstruction of the inferior vena cava by percutaneous Inoue balloon angioplasty; 1457
Polymorphous ventricular tachycardia early after acute myocardial infarction; 863
Prognostic significance and the role of dual-chamber pacing in atrioventricular delay in idiopathic dilated cardiomyopathy; 864
Pulsatile varicose veins in tricuspid regurgitation; 746
Radiation exposure from percutaneous transluminal coronary angioplasty; 746
Relation between patent foramen ovale and stroke; 863
Reply; 628
Stunning and angina; 1456
Surgical back-up in percutaneous transluminal coronary angioplasty; 495
The coronary dimple; 1457
Triglycerides, high-density lipoproteins and the Framingham Heart Study; 371

Remodeling
Study of myocardial infarct remodeling by single-photon emission computed tomographic imaging; 747

Reperfusion
Hospital mortality in acute myocardial infarction in the era of reperfusion therapy (the myocardial infarction triage and intervention project); 877

Revascularization
Stroke complicating percutaneous coronary revascularization; 1207

Right ventricular dysplasia
Value of the 12-lead electrocardiogram in arrhythmogenic right ventricular dysplasia, and absence of correlation with echocardiographic findings; 964

Right ventricular hypertrophy
Fate of right ventricular hypertrophy in tetralogy of Fallot after corrective surgery; 694

Right ventricular outflow
Catheter creation of an open outflow tract in previously atretic right ventricular outflow tract associated with ventricular septal defect; 354

Right ventricular pressure
Effects of chronic right ventricular pressure overload on left ventricular diastolic function; 1179

Right ventricular remodeling
Right ventricular dilatation and remodeling the first year after an initial transmural wall left ventricular myocardial infarction; 1126

Risk factors
Effects of pravastatin in patients with serum total cholesterol levels from 5.2 to 7.8 mmol/liter (200 to 300 mg/dl) plus two additional atherosclerotic risk factors; 1031
Radionuclide angiography for risk stratification of patients with coronary artery disease; 735
Usefulness of quantitative and qualitative angiographic lesion morphology, and clinical characteristics in predicting major adverse cardiac events during and after native coronary balloon angioplasty; 14

Salt intake
Blood pressure 24-hour pattern in two industrialized countries (Italy and Japan) with a different culture in salt intake; 58
Effects of enalapril on the hyperinsulinemic response to severe salt restriction in obese young men with mild systemic hypertension; 53

Scopolamine
Influence of transdermal scopolamine on cardiac sympathovagal interaction after acute myocardial infarction; 384

Selection bias
The impact of selection bias on measurement of noninvasive test accuracy; 223

Serotonin
Effects of serotonin on coronary arteries of cardiac transplant recipients; 331

Sex differences
Sex differences in cardiac adaptation to isolated systolic hypertension; 310

Sick sinus syndrome
Cardiodynamic and neurohormonal importance of atrial contribution in rate-responsive pacing; 36

Single-photon emission computed tomography
Quantitative severity of stress thallium-201 myocardial perfusion single-photon emission computed tomography defects in one-vessel coronary artery disease; 273

Sinus rhythm
Survey of selected cardiologists for an operational definition of normal sinus heart rate; 487

Smoking
Effect of cigarette smoking on coronary patency after thrombolytic therapy for myocardial infarction; 373
Effects of smoking cessation on blood pressure; 979

Spa therapy
Spa therapy for heart disease Bad Nauheim (circa 1900); 336

ST segment
Interpretation of the exercise-induced ST-segment elevation; 100
Therapeutic significance of exercise-induced ST-segment elevation in patients without previous myocardial infarction; 1
Usefulness of continuous ST monitoring in inferior wall acute myocardial infarction for describing the relation between precordial ST depression and inferior ST elevation; 532

Stenosis
Abnormal hemodynamic response to Valsalva maneuver in mitral stenosis; 1324
Angiographic predictors of recurrence of restenosis after Wiktor stent implantation in native coronary arteries; 165
Blood cyst of the pulmonary valve causing pulmonic valve stenosis; 493
Clinical and angiographic predictors of immediate recoil after successful coronary angioplasty and relation to late restenosis; 1020
Effect of restenosis at one previously dilated coronary site on the probability of restenosis at another previously dilated coronary site; 1107
Effects of coronary stenosis severity on variability of quantitative angiography; 495
Long-term outcome following successful reopening of abrupt closure after coronary angioplasty; 21
Long-term outcome of patients with asymptomatic restenosis after percutaneous transluminal coronary angioplasty; 1209
Plasma lipoproteins are not related to restenosis after successful coronary angioplasty; 1206
Results of percutaneous balloon mitral valvotomy in young adults; 73
Usefulness of dobutamine echocardiography for detecting restenosis after percutaneous transluminal coronary angioplasty; 1220

Stenting
Angiographic predictors of recurrence of restenosis after Wiktor stent implantation in native coronary arteries; 165

Streptokinase
A difference between front-loaded streptokinase and standard-dose recombinant tissue-type plasminogen activator in preserving left ventricular function after acute myocardial infarction (the Central Illinois Thrombolytic Therapy Study); 1010
Anti-streptokinase antibodies inhibit fibrinolytic effects of anistreplase in acute myocardial infarction; 462
Effects of streptokinase during acute myocardial infarction on the signal-averaged electrocardiogram and on the frequency of late arrhythmias; 647

Stress
Anger report predicts coronary artery vasomotor response to mental stress in atherosclerotic segments; 1361
Comparison of dobutamine stress echocardiography, dipyridamole stress echocardiography and exercise stress testing for diagnosis of coronary artery disease; 865
Digital dipyridamole stress echocardiography in silent ischemia after coronary artery bypass grafting and/or after healing of acute myocardial infarction; 640
Disparate cardiovascular response to stress tests during isradipine and fosinopril therapy; 574
Effects of orthostatic stress on peripheral capillary filtration in mild congestive heart failure after healing of myocardial infarction; 418
Relation of cardiovascular responses to mental stress and cardiac vagal activity in coronary artery disease; 551

Stroke
Relation between patent foramen ovale and stroke; 863
Stroke complicating percutaneous coronary revascularization; 1207

Stroke volume
On-line estimation of changes in left ventricular stroke volume by transesophageal echocardiographic automated border detection in patients undergoing coronary artery bypass grafting; 721

Supraventricular tachycardia
Effect of pregnancy on paroxysmal supraventricular tachycardia; 838

Surgery
Comparison of results of coronary angioplasty during acute myocardial infarction with and without previous coronary bypass surgery; 1348
Effectiveness of amiodarone and electrical cardioversion for chronic rheumatic atrial fibrillation after mitral valve surgery; 423
Long-term follow-up (9 to 20 years) after surgical closure of atrial septal defect at a young age; 1431
Non-thoracotomy closure of persistent ductus arteriosus beyond age 60 years; 1319
Predicting hospital charge and length of stay for congenital heart disease surgery; 958
Predictive value of dobutamine echocardiography just before noncardiac vascular surgery; 602
Rate-dependent hemodynamic responses during incremental atrial pacing in chronic constrictive pericarditis before and after surgery; 615

Survival
Clinical and hemodynamic predictors of survival in patients aged 65 years with severe congestive heart failure secondary to ischemic or nonischemic dilated cardiomyopathy; 413
Impact of left ventricular cavity size on survival in advanced heart failure; 672

Syncope
Do patients with neurally mediated syncope have augmented vagal tone?; 1314
Evaluation of edrophonium as a provocative agent for vasovagal syncope during head-up tilt-table testing; 1286
Follow-up of asystolic episodes in patients with cardioinhibitory, neurally mediated syncope and VVI pacemaker; 1152
Reproducibility of a positive passive upright tilt tet at a seven-day interval in patients with syncope; 469

Syndrome X
Comparison of regional myocardial blood flow in syndrome X and one-vessel coronary artery disease; 134

Systolic function
Regional systolic function, myocardial blood flow and glucose uptake at rest in hypertrophic cardiomyopathy; 199
Use of Doppler-derived left ventricular time intervals for noninvasive assessment of systolic function; 1331

Tachycardia
Oral propafenone as treatment for incessant supraventricular and ventricular tachycardia in children; 1213
Radiofrequency catheter ablation of accessory pathway during entrainment of the atrioventricular reciprocating tachycardia; 188
Safety and cost of outpatient radiofrequency ablation of the slow pathway in patients with atrioventricular nodal reentrant tachycardia; 1323
Ventricular septal summit stimulation in atrioventricular nodal reentrant tachycardia; 1268

Technetium-99m
Assessment of left ventricular wall motion in angina pectoris by two-dimensional echocardiography and myocardial perfusion by technetium-99m sestamibi tomography during adenosine-induced coronary vasodilation and comparison with coronary angiography; 983
Comparison of myocardial perfusion imaging with technetium-99m tetrofosmin versus thallium-201 in coronary artery disease; 1015
Dynamic geometry during systole in normally functioning left ventricles based on three-dimensional studies with technetium-99m isonitrile scans; 235
Technetium-99m teboroxime regional myocardial washout in subjects with and without coronary artery disease; 728
Usefulness of technetium-99m pyrophosphate myocardial scintigraphy in amyloid polyneuropathy and correlation with echocardiography; 854

Tetralogy of Fallot
Fate of right ventricular hypertrophy in tetralogy of Fallot after corrective surgery; 694

Thallium-201
Comparison of myocardial perfusion imaging with technetium-99m tetrofosmin versus thallium-201 in coronary artery disease; 1015
Dipyridamole thallium-201 imaging versus dobutamine echocardiography for the evaluation of coronary artery disease in patients unable to exercise; 1257
Elevated plasma lipoprotein(a) associated with abnormal stress thallium scans in children with familial hypercholesterolemia; 402
Prevalence and significance of transient—predominantly asymptomatic—myocardial ischemia on Holter monitoring in unstable angina pectoris, and correlation with exercise test and thallium-201 myocardial perfusion imaging; 144
Prognosis of patients with an isolated fixed Thallium-201 defect and no prior myocardial infarction; 1199
Prognostic implications of normal exercise SPECT thallium images in patients with strongly positive exercise electrocardiograms; 1201
Quantitative severity of stress thallium-201 myocardial perfusion single-photon emission computed tomography defects in one-vessel coronary artery disease; 273
Regional thallium-201 washout and myocardial hypertrophy in hypertrophic cardiomyopathy and its relation to exertional chest pain; 211

Theophylline
Long-term effects of theophylline in atrial fibrillation with a slow ventricular response; 1142

Thermography
Infrared thermography in the detection and management of coronary artery disease; 894

Thrombolysis
Effect of cigarette smoking on coronary patency after thrombolytic therapy for myocardial infarction; 373
Effects of thrombolysis and atenolol or metoprolol on the signal-averaged electrocardiogram after acute myocardial infarction; 525
How many patients with acute dissection of the thoracic aorta would erroneously receive thrombolytic therapy based on the electrocardiographic findings on admission?; 1329
Lytic lament; 863

Thrombus
Diagnostic accuracy of transesophageal echocardiography for detecting left atrial thrombi in patients with rheumatic heart disease having undergone mitral valve operations; 677
Usefulness and tolerability of hirulog, a direct thrombin-inhibitor, in unstable angina pectoris; 1359
Usefulness of transesophageal echocardiography to screen for left atrial thrombus before elective cardioversion for atrial fibrillation; 1337

Tilt-table test
Do patients with neurally mediated syncope have augmented vagal tone?; 1314
Evaluation of edrophonium as a provocative agent for vasovagal syncope during head-up tilt-table testing; 1286
Reproducibility of a positive passive upright tilt tet at a seven-day interval in patients with syncope; 469

Tissue-type plasminogen activator
A difference between front-loaded streptokinase and standard-dose recombinant tissue-type plasminogen activator in preserving left ventricular function after acute myocardial infarction (the Central Illinois Thrombolytic Therapy Study); 1010
Impact of tissue plasminogen activator and heparin versus heparin alone on quantitative coronary angiographic findings in myocardial infarction; 379
Open, noncontrolled dose-finding study with a novel recombinant plasminogen activator (BM 06.022) given as a double bolus in patients with acute myocardial infarction; 518

Transcatheter occlusion
Transcatheter occlusion of patent ductus arteriosus in adults; 591

Tricuspid regurgitation
Pulsatile varicose veins in tricuspid regurgitation; 746
Tricuspid valve regurgitation as a complication of pulmonary balloon valvuloplasty or transcatheter closure of patent ductus arteriosus in children $\leq$4 years of age; 976
Which physical factors determine tricuspid regurgitation jet area in the clinical setting?; 1305

Twins
Information on type 1 diabetes mellitus and QT interval from identical twins; 305

Ultrasound
Assessment of intracoronary morphology in cardiac transplant recipients by angioscopy and intravascular ultrasound; 805
Measurement by intracoronary ultrasound of in vivo arterial distensibility within atherosclerotic lesions; 1232
On-line quantification of left ventricular function by automatic boundary detection and ultrasonic backscatter imaging; 359

Urokinase
Influence on early outcome and restenosis of urokinase before elective coronary angioplasty; 106

Valsalva maneuver
Abnormal hemodynamic response to Valsalva maneuver in mitral stenosis; 1324

Valvular stenosis
Sudden death, right ventricular infarction, and abnormal right ventricular intramural coronary arteries in isolated congenital valvular pulmonic stenosis; 368

Valvuloplasty
Percutaneous mitral valvuloplasty with severe pulmonary artery hypertension; 325
Tricuspid valve regurgitation as a complication of pulmonary balloon valvuloplasty or transcatheter closure of patent ductus arteriosus in children $\leq$4 years of age; 976

Valvulotomy
Acute and delayed hormonal changes in mitral stenosis treated by balloon valvulotomy; 932

Varicose veins
Pulsatile varicose veins in tricuspid regurgitation; 746

Vena cava
Complete membranous obstruction of the inferior vena cava treated successfully by King's bioptome and balloon angioplasty; 241

Venous flow
Effects of mitral stenosis on pulmonary venous flow as measured by Doppler transesophageal echocardiography; 66
Pulmonary venous flow patterns assessed by transesophageal pulsed Doppler echocardiography in left atrial myxoma; 1089

Venous flow pattern
Usefulness of pulmonary venous flow pattern and maximal mosaic jet area detected by transesophageal echocardiography in assessing the severity of mitral regurgitation; 1310
Superior vena cava and hepatic vein velocity patterns in normal children; 238

Ventricular arrhythmias
Comparison of QT dispersion in hypertrophic cardiomyopathy between patients with and without ventricular arrhythmias and sudden death; 973
Comparison of the effects of amiodarone versus metoprolol on the frequency of ventricular arrhythmias and on mortality after acute myocardial infarction; 1243
Oral amiodarone loading for the rapid treatment of frequent, refractory, sustained ventricular arrhythmias associated with coronary artery disease; 1395

Ventricular fibrillation
Outcome with implantable cardioverter-defibrillator therapy for survivors of ventricular fibrillation secondary to idiopathic dilated cardiomyopathy or coronary artery disease without myocardial infarction; 911
Rehospitalization in surviving patients of out-of-hospital ventricular fibrillation (the CASCADE study); 1295

Ventricular function
Right and left ventricular area and function determined by two-dimensional echocardiography in adults with the Eisenmenger syndrome from a variety of congenital anomalies; 90

Ventricular septal defect
Catheter creation of an open outflow tract in previously atretic right ventricular outflow tract associated with ventricular septal defect; 354

Closure of hemodynamically insignificant ventricular septal defect after infective endocarditis; 1093

Implication of aneurysmal transformation in isolated perimembranous ventricular septal defect; 596

Ventricular tachyarrhythmias

Comparison of electrophysiologic effects of quinidine and amiodarone in sustained ventricular tachyarrhythmias associated with coronary artery disease; 1389

Evaluation of treatment strategies of malignant ventricular tachyarrhythmias in the era of the implantable defibrillator; 455

Serial electropharmacologic studies in patients with ischemic heart disease and sustained ventricular tachyarrhythmias: when is drug testing sufficient?; 1400

Usefulness of electrophysiologic studies for new-onset sustained ventricular tachyarrhythmias shortly after coronary artery bypass grafting; 1291

Ventricular tachycardia

A prospective randomized comparison of autodecremental pacing to burst pacing in device therapy for chronic ventricular tachycardia secondary to coronary artery disease; 1146

Determinants of induction of ventricular tachycardia in nonsustained ventricular tachycardia after myocardial infarction and the usefulness of the signal-averaged electrocardiogram; 1281

Frequency of presumed reentry with an excitable gap in sustained ventricular tachycardia unassociated with coronary artery disease; 916

Noninvasive prediction of efficacy of type IA antiarrhythmic drugs by the signal-averaged electrocardiogram in patients with coronary artery disease and sustained ventricular tachycardia; 288

Polymorphous ventricular tachycardia early after acute myocardial infarction; 863

Transesophageal echocardiography during radiofrequency catheter ablation of ventricular tachycardia; 658

Usefulness of the response to intravenous procainamide during electrophysiologic study in predicting the response to oral quinidine in patients with inducible sustained monomorphic ventricular tachycardia associated with coronary artery disease; 908

Value of clinical variables for risk stratification in patients with sustained ventricular tachycardia and history of myocardial infarction; 349

Ventriculo-coronary arterial connections

Ventriculo-coronary arterial connections in pulmonary atresia with intact ventricular septum, and their influences on ventricular performance and clinical course; 586

Wall motion

Comparison of the usefulness of the implantable cardioverter-defibrillator and subendocardial resection in patients with sustained ventricular arrhythmias and poor regional wall motion associated with coronary artery disease; 652

Ventriculo-coronary arterial connections in pulmonary atresia with intact ventricular septum, and their influences on ventricular performance and clinical course; 586

Wall motion asynchrony is a major determinant of impaired left ventricular filling in patients with healed myocardial infarction; 268

Women

Comparison of clinical findings in idiopathic dilated cardiomyopathy in women versus men; 580

Frequency of oral estrogen replacement therapy in women with normal and abnormal exercise electrocardiograms and normal coronary arteries by angiogram; 1197